




1




3




4



2




3




5

9


6



8



10



11


Q.C APPROVED
22/08/2022
ISSUE 6

SAFETY INFORMATION: (Please retain for future reference)

- Always turn off the mains supply before commencing the installation of this fitting .
- This is a Class 2 product and not requires an Earth connection – 230 (240) Volts – 50Hz AC.
- This product must be installed in accordance with the national building regulations, if in doubt consult a competent electrician.
- Do not stare at the operating lamp .
- Do not modify or alter any product before or after installation. This will invalidate your warranty and may render the product un-safe.
- The terminal block should be housed within the mounting plate or a suitable recess behind the fitting.

MAINS SUPPLY

LIGHT FITTING



POSITION:

- This fitting is suitable for installation in Indoor locations only .
- Ensure sufficient access to the fitting to enable safe maintenance.
- The Luminaire should be positioned so that prolonged staring into the luminaire at a distance closer than 0.2M is not expected.

LED INFORMATION:

- The Fitting is not suitable for dimming .
- The LED lamps are not replaceable , when the lamps reach the end of their life the whole luminaire shall be replaced .

AFTERCARE AND MAINTENANCE:

- Always disconnect power supply when servicing or cleaning.
- Clean only with a dry or slightly damp cloth.

BATHROOM FITTINGS INFORMATION:

- This fitting is a IP44 Rated and is suitable for installation in Zone 2.
- Zone 2 Covers an area 0.6 meters wide immediately next to, and all around zone 1, plus the area below 2.5 meters high directly over the bath or shower. Wash basins should be treated as a zone 2. The minimum rating here is IPx4.
- This fitting must be permanently wired into the electric system. Always shut off power to the circuit before starting installation work. Lighting circuits and any socket-outlet circuit in a room containing a bath/or shower must be provided with 30mA RCD protection.

