



RE.WRAP

Materials Library



MATERIALS LIBRARY

CONTENTS

GROUP 1

CAMIRA QUEST
RIVET
LUCIA
GRAVITY

GROUP 2

CAMIRA REPLAY
LUCIA CS
ASPECT
X2

GROUP 3

MAHARAM METAPHOR
SVENSSON TONE
HELLO

GROUP 4

MAHARAM MUSE
MESSENGER
MELD
SVENSSON POPPY

GROUP 5


MAHARAM MANTLE



CAMIRA

QUEST

Woven entirely from post-consumer recycled plastic, Quest is a lightly textured fabric with a balanced hopsack weave enhanced by the discat-dyed SEAQUAL® YARN.




DEPTH

QUE01



FOSSIL

QUE02



BARNACLE

QUE03



MUSSEL

QUE04



QUARTZ

QUE05



SHELL

QUE06



RIPPLE

QUE07



WHELK

QUE08




LIMPET

QUE09



ROCKPOOL

QUE10




WAVE

QUE11



TIDE

QUE12



SEA GRASS

QUE13



ALGAE

QUE14




KELP

QUE15



SEA FOAM

QUE16




URCHIN

QUE17



ABALONE

QUE18



DRIFTWOOD

QUE19



SANDSTONE

QUE20



BEACH COMBER

QUE21



COCKLE

QUE23



CRAB

QUE24



CLAY

QUE25



SHRIMP

QUE26



PEBBLE

QUE27

CAMIRA

QUEST

Technical Information

SPECIFICATIONS

Width: 137cm minimum
Weight: 330g/m² ±5%
Material: 100% post-consumer recycled polyester including 75% SEAQUAL® YARN

COLOUR FASTNESS

Against light according to EN ISO 105 B02:
- 5-6
Against wet rubbing according to EN ISO 105-X12:
- 4
Against dry rubbing according to EN ISO 105-X12:
- 4

ABRASION RESISTANCE

Heavy duty / 10 year guarantee.
Independently certified to ≥100,000 Martindale cycles

FLAME RETARDENCY

EN 1021 - 1 & 2 (cigarette & match)
BS 7176 Low Hazard
UNI 9175 Classe 1 IM
BS 476 Part 7 Class 1Y (Adhered)
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class B, s1, d0.
Further options available, specify when ordering

CARE INSTRUCTIONS



CERTIFICATIONS



CAMIRA

RIVET

Made from 100% post consumer recycled polyester, originating from used plastic bottles. Rivet is ideal for modern workplaces and seating upholstery.



VITREOUS EGL01



WIRE EGL03



RESIN EGL04



ALLOY EGL05



TUNGSTEN EGL07



FUSE EGL08



MOLTEN EGL09



SPARK EGL10




BURNISH EGL11



FORGE EGL12



ABRAID EGL13



COPPER EGL14



PRIME EGL16




SOLDER EGL18



CHROMOLY EGL19



TENSILE EGL20



VERDIGRISE EGL21



QUENCH EGL23



CRUCIBLE EGL24



CAST EGL25



GALVANISE EGL26



HAMMER EGL27



OLIVE EGL31




DEEP CLAY EGL32



WOODROSE EGL33



HEMLOCK EGL34



LAGOON EGL35



OTTER EGL36



CHARCOAL EGL37



DEEP SEA EGL48



TWIG EGL49



GREY BRINDLE EGL50

GROUP 1

CAMIRA

RIVET

Technical Information

SPECIFICATIONS

Width: 140cm minimum
Weight: 280g/m² ±5%
Material: 100% Post Consumer Recycled Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 5-6
Against dry rubbing according to EN ISO 105-X12:
- 4

ABRASION RESISTANCE

Heavy duty / 10 year guarantee.
Independently certified to ≥100,000 Martindale cycles

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard
UNI 9175 Classe 1 IM
EN 13501-1 Adhered Class B, s2, d0
EN 13501-1 Un-adhered Class B, s1, d0
Further options available, specify when ordering

CARE INSTRUCTIONS




CERTIFICATIONS




CAMIRA

LUCIA

Lucia is a sound absorbing flame retardant crêpe weave made from 100% recycled polyester. Non-lustrous in appearance with a bold and bright colour palette.




MARTINIQUE YB004




HAVANA YB009



MONTSERRAT YB011




PASEO YB019




COSTA YB026



TEQUILA YB038



SOMBRERO YB046



WINDJAMMER YB047




RUM YB086



LOBSTER YB087



TAROT YB090



BLUEBELL YB097



OCEAN YB100




BRIDGETOWN YB102



BELIZE YB105



DEEP CLAY YB108



WOODROSE YB156



TORTUGA YB168

CAMIRA

LUCIA

Technical Information

SPECIFICATIONS

Width: 170cm minimum
Weight: 260g/m² ±5%
Material: 100% Post Consumer Recycled Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 6
Against dry rubbing according to EN ISO 105-X12:
- 4

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard
BS 476 Part 7 Class 1 (Adhered)
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class B, s1, d2

CARE INSTRUCTIONS



CERTIFICATIONS



CAMIRA

GRAVITY

Made from a blend of virgin and post-consumer recycled polyester, the fabric is dobby woven and piece dyed over a black base, creating lightly textured geometric patterning.



PETAL

CPC01



LAVENDER

CPC02



BERRY

CPC03



BROOK

CPC04



DEWDROP

CPC05



BOTANIQUE

CPC06




GOOSEBERRY

CPC07



EVERGREEN

CPC08




LAKE

CPC09




ALMOND

CPC10



TIGERLILY

CPC11



NUTMEG

CPC12



ROSE

CPC13



MUSTARD

CPC14



ICE

CPC15




SLATE

CPC16



DOVE

CPC17




SUNNI

CPC20



WHEAT

CPC21




FRESH

CPC23



TULIP

CPC25



MILITARY

CPC26




FROZEN

CPC27



AQUA

CPC28




LAGOON

CPC29



NAVY BLUE

CPC30



BLACK

CPC31



FROST

CPC32

CAMIRA

GRAVITY

Technical Information

SPECIFICATIONS

Width: 140cm minimum
Weight: 295g/m² ±5%
Material: 76% Polyester 24% Post Consumer Recycled Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 6
Against wet rubbing according to EN ISO 105-X12:
- 4

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class B, s1, d2
Further options available, specify when ordering

CARE INSTRUCTIONS




CERTIFICATIONS



CAMIRA

REPLAY

RePlay is knitted in its appearance in a woven fabric, together with two-tone micro colour detail, it creates a futuristic look that is straight out of the sports arena, onto furniture.



FLEX REP01



AGILE REP02



ATHLETIC REP03




RUN REP04



JOG REP05




FLIP REP06




JOY REP07




CHEER REP08



HANDSTAND REP09



STEP REP10



FREESTYLE REP11



MOTION REP12




SKIP REP13




HOP REP14



PULL REP15



PUSH REP16



LIFT REP17



ROLL REP18



FUN REP19



PLAY REP20



MOVE REP21




GAME REP22




ACTIVE REP23



WORKOUT REP24




JUMP REP25




BOUNCE REP26




SPORT REP27



CATAPULT REP28




TWIRL REP29



DANCE REP30



THROW REP31



SWING REP32

GROUP 2

CAMIRA

REPLAY

Technical Information

SPECIFICATIONS

Width: 140cm minimum
Weight: 380g/m² ±5%
Material: 100% Post-Consumer Recycled
Flame Retardant Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 4-6
Against wet rubbing according to EN ISO 105-X12:
- 4

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard // BS 5852 Ignition
Source 5 // BS 7176 Medium Hazard
DIN 4102 B1 // NF D 60-013
ÖNORM B 3825 & A 3800-1 (over CMHR
58kg/m³ Foam)
UNI 9175 Classe 1 IM
EN 13501-1 Adhered Class B, s1, d0
EN 13501-1 Un-adhered Class B, s1, d0
NF P 92-507 M1
Further options available, specify when
ordering

CARE INSTRUCTIONS




CERTIFICATIONS



CAMIRA


LUCIA CS

Acoustically transparent fabric with excellent sound properties. 100% recycled polyester, the eco-friendly choice for panel and acoustic applications.



HAVANA

LC009



COSTA

LC026



MONTSERRAT

LC079




PASEO

LC081




COSTA

LC094




ARUBA

LC108




ADOBO

LC165




RUM

LC173



NEGRIL

LC175




REVIVE

LC182



KOTA

LC415



TENOM

LC419



DEPOK

LC421




MEDAN

LC422




MAKILI

LC424



ROQUES

LC433



VARADERO

LC434

CAMIRA

LUCIA CS

Technical Information

SPECIFICATIONS

Width: 170cm minimum
Weight: 265g/m² ±5%
Material: 100% Trevira CS® Flame Retardant Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 6
Against wet rubbing according to EN ISO 105-X12:
- 4

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard
DIN 4102 B1
NF P 92-507 M1
UNI 8456, UNI 9174 & UNI 9177 Classe Uno
BS 476 Part 7 Class 1 (Adhered)
BS 476 Part 6 Class 0 (Adhered)
BS EN 13501-1 Adhered class B, s1, d0
BS EN 13501-1 Un-adhered class B, s1, d0
BS 5867-2: Type B Curtains & Drapes

CARE INSTRUCTIONS




CERTIFICATIONS



CAMIRA

ASPECT


Aspect is a subtle mélange, textured fabric with a warm soft handle, balancing superior flammability performance and a natural aesthetic.



AMALFI ACT02




MARRAKECH ACT03



CAPPADOCIA ACT04




CALABRIA ACT06




METEORA ACT08




ZION ACT09



PALENQUE ACT11



GORKHA ACT12




YOSEMITE ACT14



BAMBURGH ACT15



CATBELLS ACT17



PATAGONIA ACT18




MATERHORN ACT19



PENNYGHENT ACT20



JASPER ACT21



LUCERNA ACT23



RAINER ACT24



OTAGO ACT25




MOLOKAI ACT26




EVEREST ACT27




DOLOMITES ACT28



MALHAM ACT29



GALAPAGOS ACT30



AURORA ACT31

CAMIRA

ASPECT

Technical Information

SPECIFICATIONS

Width: 140cm minimum
Weight: 325g/m² ±5%
Material: 75% Trevira® CS Flame Retardant Polyester, 25% Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 5
Against wet rubbing according to EN ISO 105-X12:
- 4

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard
DIN 4102 B1
NF D 60-013 (Over 50kg/m³ CMHR foam)
ÖNORM B 3825 & A 3800-1 (over CMHR 58kg/m³ foam)
UNI 9175 Classe 1 IM
BS 5867-2 Type B Curtains & Drapes
EN 13501-1 Adhered Class B, s2, d0
EN 13501-1 Un-Adhered Class B, s1, d0
Further options available, specify when ordering

CARE INSTRUCTIONS



CERTIFICATIONS



CAMIRA

X2

A Camira Circular fabric which pushes the boundaries in textile to textile recycling to address the global textile waste problem. The fabric includes 25% textile waste, including closed loop content from their own production.



RATIO AK001



POLYGON AK002



FRACTION AK003



EQUATION AK004



ALGEBRA AK005



VALUE AK006



MATHS AK007



CALCULUS AK008



ACUTE AK009



MEDIAN AK011



ADD AK012



SUBTRACT AK013




MULTIPLY AK014




DIVIDE AK015




PERCENTAGE AK016



FORMULA AK017



ARITHMETIC AK018




POSITIVE AK019



NUMBER AK020




ALGORITHM AK037



GEOMETRY AK038



SUM AK039




TOTAL AK040




METHOD AK041



APPLY AK042



BINARY AK043




FACTOR AK044




CUBE AK045




RULE AK046




GRAPH AK047



AREA AK048



DIAMETER AK049



THEORY AK050

GROUP 2

CAMIRA

X2

Technical Information

SPECIFICATIONS

Width: 140cm minimum
Weight: 310g/m² ±5%
Material: 75% Post-Consumer Recycled Polyester, 25% Textile to Textile Recycled Polyester

COLOUR FASTNESS

Against wet rubbing according to EN ISO 105-X12:
- 4
Against light according to EN ISO 105 B02:
- 5-6
Against wet rubbing according to EN ISO 105-X12:
- 4

FLAME RETARDENCY

EN 1021 - 1&2 (cigarette & match)
BS 7176 Low Hazard // BS 5852 Ignition Source 5 // BS 7176 Medium Hazard
DIN 4102 B1 // NF D 60-013
ÖNORM B 3825 & A 3800-1 (58 kg/m³ CMHR Foam)
UNI 9175 Classe 1 IM
EN 13501-1 Adhered Class B, s2, d0
EN 13501-1 Un-adhered Class B, s1, d0
California Technical Bulletin 117
NFPA 260 + UFAC Class 1
Further options available, specify when ordering

CARE INSTRUCTIONS



CERTIFICATIONS




MAHARAM

METAPHOR

Metaphor is heathered and has a smooth hand that evokes the cool, dry feel of linen. High-energy dyed yarns allow for rich colour saturation without the need for any stain repellent finish.



MOONFLOWER 002



CROSSROAD 004



DETECTIVE 006




STEAMSHIP 007




ELECTRICITY 008



TAKEOFF 009




BLUESHIFT 011



BATHE 013



ICEBOUND 014




ABOARD 016



AGATEWARE 017



ROCKFALL 019



GREMOLATA 021



SYLVAN 023




OUTFIELD 024




WINDBREAK 025



BARNWOOD 027




COOKSHOP 028



BODHRAN 030




CENTERSTAGE 031




FOCCACIA 032



BUMBLEBEE 033



MICROBREW 034



SAUNA 035



PIROUETTE 037



HEARTBEAT 038



SUNRISE 040



FLORIST 041



BEADWORK 042



FRAMBOISE 043



WISTERIA 044



WARRIOR 045

GROUP 3

MAHARAM

METAPHOR

Technical Information

SPECIFICATIONS

Width: 137cm
Weight: 500 gr/lm
Material: 100% Polyester

LIGHTFASTNESS

AATCC 16.3, 40+ hours

ABRASION

ASTM D4157, 100,000 double rubs
Wyzenbeek

FLAME RETARDENCY

AS/NZS 3837 Unadhered
ASTM E84 Unadhered
BS 5852 Crib 5*
CAL 117-2013
CAN ULC S102 Unadhered
EN 1021-1*
EN 1021-2*
EN 13501 Unadhered*
GB/T 17591*
ISO 5660 Unadhered
**passes with additional treatment*

CARE INSTRUCTIONS



CERTIFICATIONS



FR Free
Free of Intentionally Added PFAS

SVENSSON

TONE

A beautiful, yarn-dyed textile with a delicate structure and an interesting depth. The colour palette offers a wide range that contains both softer quiet shades and vibrant pop colours.




3221




3231




3263




3345




4210




4220




4331



4321




4325



4326




4353



4363



4431




4441




4550



4560




4621



4631




5261




5272




5611




5631




6065



6075



6253



6263



6535



6540



6550



6552



6572



6632



6642



6731

GROUP 3

SVENSSON


6740 6844 6853 8800 8900

6740 6844 6853 8800 8900


6740 6844 6853 8800 8900




6740




6844



6853



8800



8900

SVENSSON

TONE

Technical Information

SPECIFICATIONS

Width: 150cm
Weight: 355g/m²
Material: Trevira CS 100%
Shrinkage: 2%

COLOUR FASTNESS

Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)
Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

ABRASION RESISTANCE

Martindale (According to EN ISO 12947-2): -
50000 rubs

FLAME RETARDENCY

EN 1021-1, 2
DIN 4102-1 B1
IMO FTP Code 2010: Part 8
NFP 92-503-507 M1
BS 5852 Crib 5
UNI 9175, 1IM
EN 13501-1, B-s1, d0
SN 198898
NFPA 260

CARE INSTRUCTIONS



CERTIFICATIONS



SVENSSON

HELLO

A high-quality yarn-dyed fabric, appearing monochrome at a distance yet speckled when close. The weave to create a play of contrasts. Made in a flame-retardant, eco-label certified Trevira CS.



3062



3125



3326



3363



3544



3733



4271




4362




4443



4452



4461




4534



4644




4845



5041



5345



5672




5744



5931



6144



6442




6453



6530




6540




6570




6621



6631



6634




6662




6740




6742



6760



6943



8200

GROUP 3

SVENSSON

HELLO



8300



8400




8500



8550



8700



8900

SVENSSON

HELLO

Technical Information

SPECIFICATIONS

Width: 140cm
Weight: 280G/m²
Material: Recycled Trevira CS 100%
Shrinkage: 2%

COLOUR FASTNESS

Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)
Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

ABRASION RESISTANCE

Martindale (According to EN ISO 12947-2): -
50000 rubs

FLAME RETARDENCY

EN 1021-1&2
DIN 4102-1 B1
BS 5852 Crib 5
EN 13501-1; B-s1, d0
NFP 92-503-507 M1
IMO FTP Code 2010: Part 8

CARE INSTRUCTIONS




CERTIFICATIONS



MAHARAM

MUSE


Muse pairs a technical look with high performance capabilities. Made entirely from post-consumer recycled polyester, Muse uses high-energy dyed polyester yarns in a fine, dense weave.




CRESCENDO 001




RESONATE 002




RUNWAY 003




ASCEND 004




MISO 009




COMPASS 010




BERGAMOT 011




GRASSHOPPER 012




GOAL 013



MISTLETOE 014



SEAGLASS 015



FRIGID 016




RIVERBEND 017




NOBLE 018




PULSAR 019




VELELLA 020




SAILBOAT 021




SPARSE 022




VASE 023




HAVEN 024




MEAD 025




NEAT 026




JOVIAL 027




THEATER 028



POINSETTIA 029



CELEBRATE 030



SPECTACLE 031

MAHARAM

MUSE

Technical Information

SPECIFICATIONS

Width: 137cm
Weight: 500 gr/lm
Material: 100% Post-Consumer Recycled Polyester

LIGHTFASTNESS

AATCC 16.3, 40+ hours

ABRASION

ASTM D4157, 100,000 double rubs
Wyzenbeek

FLAME RETARDENCY

AS/NZS 3837 Unadhered
ASTM E84 Adhered*
ASTM E84 Unadhered
BS 5852 - PART 1*
BS 5852 Crib 5*
CAL 117-2013
CAN ULC S102 Unadhered
EN 1021-1*
EN 1021-2*
EN 13501 Unadhered*
GB/T 17591*
ISO 5660 Unadhered
NFPA 701*
*passes with additional treatment

CARE INSTRUCTIONS



CERTIFICATIONS



MAHARAM

MESSENGER

Messenger is a versatile textile with a tailored texture and rich duotone look that offers enduring appeal.



SHADOW 007



BAYOU 008



POPPY 024



MAO 025



ONYX 029



CLOUD 031



DETH 038




NILE 040




AZURE 041



CACTUS 045



ICE 046



NEON 048



HYDRANGEA 050



LILAC 051



TANGELO 053



LUMINE 054



PERIDOT 060



CAPRI 061



ULTRAMARINE 062




SQUALL 063



CASSIS 066




ASTER 067



CHERRY 069



VIBRANT 070




SATSUMA 071



MAIZE 072



FOSSIL 076



ASH 077



TUSK 078



OYSTER 079



PENSIVE 080



HUSK 081



CHILI 083



ROBUST 084

GROUP 4

MAHARAM

MESSENGER



BEYOND 085




VOYAGE 086




EVERGLADE 087



LONGSPUR 090



VIREO 091




DIPPER 092



GALE 093




HUNTER 094



LIME 095



APPLE 096



KRILL 097



CATALYST 098

MAHARAM

MESSENGER

Technical Information

SPECIFICATIONS

Width: 137cm
Weight: 400 gr/lm
Material: 78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon

LIGHTFASTNESS

AATCC 16.3, 40+ hours

ABRASION

ASTM D4157, 100,000 double rubs
Wyzenbeek

FLAME RETARDENCY

AS/NZS 1530.3
AS/NZS 3837 Unadhered
ASTM E84 Adhered*
ASTM E84 Unadhered
BS 5852 Crib 5*
CAL 117-2013
CAN ULC S102 Unadhered
EN 1021-1*
EN 1021-2*
EN 13501 Unadhered*
GB/T 17591*
ISO 5660 Unadhered
NFPA 260
UNI 9175*
*passes with additional treatment

CARE INSTRUCTIONS



CERTIFICATIONS



MAHARAM

MELD

Meld's fine basket weave offers the look and feel of wool across a luminous surface of subtle duotones.



VAST 001




PANDA 002




SKYLINE 003




KNIGHT 004



QUILL 005




PIPE 006




GLOSS 008




ANTLER 013



CRATER 014




PERENNIAL 015




MULBERRY 016



FUSCHIA 017




AMETHYST 018




MERLOT 019




MAGMA 020




ROOSTER 021




HEAT 022



CLEMENTINE 023




FOX 024




KISS 025



BARE 026



BLONDE 027




MIMOSA 028




WILD 031



VINE 032



SEED 033



KALE 034



WATERFALL 035




NORDIC 036



REEF 037



WAVE 038




ISLE 039

GROUP 4

MAHARAM

MELD




CREEK

040



MARINER

041



GLOBE

042



SPA

043

MAHARAM

MELD

Technical Information

SPECIFICATIONS

Width: 137cm
Weight: 500 gr/lm
Material: 68% Post-Consumer Recycled Polyester, 32% Polyester

LIGHTFASTNESS

AATCC 16.3, 40+ hours

ABRASION

ASTM D4157, 100,000 double rubs
Wyzenbeek

FLAME RETARDENCY

AS/NZS 1530.3
AS/NZS 3837 Unadhered
ASTM E84 Adhered*
ASTM E84 Unadhered
BS 476 Unadhered*
BS 5852 - PART 1*
BS 5852 Crib 5*
CAL 117-2013
CAN ULC S102 Unadhered
EN 1021-1*
EN 1021-2*
EN 13501 Unadhered*
GB/T 17591*
ISO 5660 Unadhered
NFPA 701*
*passes with additional treatment

CARE INSTRUCTIONS



CERTIFICATIONS



SVENSSON

POPPY

Designer by Eva Larsson, with a goal to create a fabric that adds a softness to any public space. With a wide range of colours from muted natural tones to more vibrant colours.



6920



6612




6733



6731




6642



8800



6562



8700



8200




5350




5431




4442



6272



6444



6236




5936



5245



4372




4352




3372



3443



3554



3518




3236




3034



6932



6953



6635



6527

SVENSSON

POPPY

Technical Information

SPECIFICATIONS

Width: 150cm
Weight: 355g/m²
Material: Trevira CS 100%
Shrinkage: 2%

COLOUR FASTNESS

Against dry rubbing according to EN ISO 105-X12:
- 4 (Scale 1-5)
Against light according to EN ISO 105-B02
- 5-7 (Scale 1-8)
Against wet rubbing according to EN ISO 105-X12:
- 3-4 (Scale 1-5)

ABRASION RESISTANCE

Martindale (According to EN ISO 12947-2): - 50000 rubs

FLAME RETARDENCY

EN 1021 part 1, 2
DIN 4102-1 B1
IMO FTP Code 2010: Part 8
NF P 92 503-507, M1
BS 5852 Crib 5
BS 5867-2 Type B
TB117 2013
EN 13501-1
NFPA 260

CARE INSTRUCTIONS



CERTIFICATIONS



MAHARAM

MANTLE

Mantle is woven with heavily plied yarns in a chunky basket weave. Offering a woollen look, the textile illustrates tonal depth through a broad palette.



PAVEMENT 001



FUTURE 002




PIPER 003




MANIFESTO 004



MAPO 005




REDWOOD 006



ROCKY 007




IMPALA 008




GUILD 010




KINETIC 011




BEHOLD 012




ORB 013




SPORT 014




UTOPIA 015



TRUE 016



GALORE 017




PARSLEY 018



DARE 019




BRONZINO 020



NETWORK 021



STANDARD 022



SALAMANDER 023



OSCILLATE 024

MAHARAM

MANTLE

Technical Information

SPECIFICATIONS

Width: 137cm
Weight: 800 gr/lm
Material: 59% Post-Consumer Recycled Polyester, 37% Polyester, 4% Spandex

LIGHTFASTNESS

AATCC 16.3, 40+ hours

ABRASION

ASTM D4157, 100,000 double rubs
Wyzenbeek

FLAME RETARDENCY

AS/NZS 3837 Unadhered
ASTM E84 Unadhered
BS 5852 Crib 5*
CAL 117-2013
EN 1021-1*
EN 1021-2*
EN 13501 Unadhered*
GB/T 17591*
ISO 5660 Unadhered
*passes with additional treatment

CARE INSTRUCTIONS




CERTIFICATIONS




MAHARAM

NICO


Nico is a precisely woven pindot with a soft texture that features unexpected colour pairing between the matte ground and slight lustre of the dot motif.



TUNE 003




BRIDGEROOM 004



DIODE 005




JEST 006




SANCTUARY 007



AQUARIUS 008



HOUSEBOAT 009




OLYMPIAN 010




TENNIS 011



DRESSAGE 012



ZING 013



BITTERROOT 014




GEMINI 015



POSH 016




SIZZLE 017




CHEERFUL 018




WATERMELON 019



TOUCAN 020



ROSin 021




JOUSTING 022



JOJOBA 023




DROMEDARY 024




CASABA 026




GREENHOUSE 027



SYBIL 028




SPEARMINT 029




POTHOS 030



CALATHEA 031




LANDSCAPE 032



ESPALIER 033



GECKO 034



MEDITATION 035

GROUP 5

MAHARAM

NICO

Technical Information

SPECIFICATIONS

Width: 137cm
Weight: 600 gr/lm
Material: 63% Wool, 21% Polyester, 16% Nylon

LIGHTFASTNESS

AATCC 16.3, 40+ hours

ABRASION

ASTM D4966, 100,000 cycles Martindale

FLAME RETARDENCY

AS/NZS 3837 Unadhered
ASTM E84 Unadhered
BS 5852 - PART 1
BS 5852 Crib 5*
CAL 117-2013
EN 1021-1
EN 1021-2
EN 13501 Unadhered*
GB/T 17591*
ISO 5660 Unadhered
*passes with additional treatment

CARE INSTRUCTIONS



CERTIFICATIONS





NEED MORE INFORMATION?

Alternative textiles can be reviewed for approval, subject to fire safety certifications and transparency testing. Our internal team will ensure that all submitted materials meet the necessary regulatory standards before approval.

The Collective is proud to be the exclusive UK distributor of Re.Wrap. Our team is here to support you with any product information.

For more details, or to discuss material submissions, please contact our sales team at: enquiry@thecollective.agency