

McCall's

M8546




Designed and
printed in USA


Shop all the pattern brands you love @

Simplicity®.com

Average
Moins Facile




A



B



C



D

17" (43CM) PLUSH ANIMALS

Suggested Fabrics: A,B,C,D: Fleece. **Inner Eye B, Horns D, Inner Ears and Tail D, and Appliqués:** Felt, Fleece.

Notions: A,B,C,D: Poly Fiberfill, embroidery floss. **Also for A,C,D:** Pair of 10mm safety eyes.

Bear A

60" * - ½ yd.

Inner Ear, Muzzle and Belly Appliqué - 5" x 7" remnant

Nose Appliqué - 2" x 2" remnant

Paper-backed Fusible Web - 7" x 9" remnant

Frog B

60" * - ½ yd.

Mouth and Belly Appliqué and Inner Eye - 8" x 7" remnant

Pupil Appliqué - 2" x 2" remnant

Paper-backed Fusible Web - 8" x 9" remnant

Monkey C

60" * - ½ yd.

Inner Ear, Face and Chest Appliqué - 5" x 7" remnant in each of felt or fleece and paper-backed fusible web

Cow D

60" * - ½ yd.

Muzzle and Spots Appliqué - 4" x 6" remnant in each of felt or fleece and paper-backed fusible web

Inner Ear, Horn and Tail Appliqué - 7" x 6" remnant

ANIMAUX EN PELUCHE DE 43CM

Tissus Conseillés: A,B,C,D: Molleton. **Œil intérieure B, Cornes, Oreilles intérieures et Queue D:** Feutre, Molleton.

Mercurie: A,B,C,D: Rembourrage en polyester, fil à broder. **Aussi pour A,C,D:** Deux yeux de sécurité de 10mm.

Ours A

150cm * - 0.5m

Appliqués de oreille intérieure, museau et ventre - Morceau de 13cm x 18cm

Appliqué de nez - Morceau de 5cm x 5cm

Matière thermocollante avec support de papier - Morceau de 18cm x 23cm

Grenouille B

150cm * - 0.5m

Appliqués de bouche et ventre et œil intérieure - Morceau de 20cm x 18cm

Appliqué de pupille - Morceau de 5cm x 5cm

Matière thermocollante avec support de papier - Morceau de 20cm x 23cm

Singe C

150cm * - 0.5m

Appliqués de oreille intérieure, visage et poitrine - Morceau de 13cm x 18cm dans chacun de feutre ou molleton et matière thermocollante avec support de papier

Vache D

150cm * - 0.5m

Appliqués de museau et taches - Morceau de 10cm x 15cm dans chacun de feutre ou molleton et matière thermocollante avec support de papier

Appliqué de oreille intérieure, corne et queue - Morceau de 18cm x 15cm

*with nap **without nap

*avec sens **sans sens

M8546



Page 1 of 4

McCall's®


English



1-800-782-0323




24 PATTERN PIECES



- 1 BODY FRONT - A
2 INNER EAR, MUZZLE AND BELLY APPLIQUE - A
3 NOSE APPLIQUE - A
4 EAR - A
5 ARM - A,C
6 LEG - A,C
7 BODY BACK - A,B
8 BODY FRONT - B
9 MOUTH AND BELLY APPLIQUE AND INNER EYE - B
10 EYE - B
11 PUPIL APPLIQUE - B
12 ARM - B
13 LEG - B
14 BODY FRONT - C
15 INNER EAR, FACE AND CHEST APPLIQUE - C
16 EAR - C
17 TAIL - C
18 BODY BACK - C,D
19 BODY FRONT - D
20 MUZZLE AND SPOTS APPLIQUE
21 INNER EAR, HORN AND TAIL - D
22 OUTER EAR - D
23 ARM - D
24 LEG - D

PATTERN MARKINGS



GRAINLINE: Place on straight grain of fabric, parallel to selvage or fold.

FOLDLINE: Place line on fold of fabric.

BUTTONHOLE MARKING: Indicates exact length and placement of buttonholes.

BUTTON MARKING: Indicates button placement.

NOTCHES AND SYMBOLS: For matching seams and construction details.

Indicates the Bustline, Waistline, Hip and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary. The measurement excludes pleats, tucks, darts and seam allowances.

SEAM ALLOWANCE: 5/8" (1.5cm) included unless otherwise indicated, but not printed on tissue.


ADJUST IF NECESSARY

Lengthen or Shorten at adjustment lines (==) or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

TO SHORTEN: Crease along adjustment line. Make a fold half the amount needed. Tape in place.

TO LENGTHEN: Slash along adjustment lines. Spread amount as needed, keeping edges parallel. Tape over paper.

When Alteration lines are not on tissue, lengthen or shorten at lower edge.



SHRINK FABRIC if not labeled pre-shrunk. Press.

CIRCLE LAYOUT for View, Size, Fabric Width.

Use **WITH NAP** layout for fabrics with one-way designs, nap, pile or surface shading. Because most knits have surface shading, a with nap layout is used.

For **DOUBLE THICKNESS (WITH FOLD)** - fold fabric with right sides together.

*** DOUBLE THICKNESS (WITHOUT FOLD)** - For fabrics with nap, fold fabric crosswise, right sides together. Mark as shown. Cut along crosswise fold of fabric (A). Turn upper layer 180° so arrows go in same direction and place over lower layer, right sides together (B).

For **SINGLE THICKNESS** - place fabric right side up. (For Fur Pile fabrics, place pile side down.)

CUTTING AND MARKING



★ Cut other pieces first, allowing enough fabric to cut this piece. Open fabric. For "Cut 1" pieces, cut piece once on single layer of fabric with piece face up on right side of fabric.

Pattern may have cutting lines for several sizes. Select the proper cutting line or pattern pieces for your size.

Before **CUTTING** place all pieces on fabric according to layout. Pin. (Layouts show approximate position of pattern pieces; position may vary according to your pattern size.) Cut **ACCURATELY**, cutting notches outward.

Before removing pattern, **TRANSFER MARKINGS** and lines of construction to Wrong Side of fabric, using the Pin and Chalk Pencil method or Tracing Paper and Dressmaker Wheel. Markings needed on right side of fabric should be thread traced.


NOTE: Broken-line boxes (at bt cl) in layouts represent pieces cut by measurements provided.



CUTTING LAYOUTS


BEAR A

USE PIECES 1 4 5 6 7

60" (150CM)
WITH NAP


MONKEY C

USE PIECES 5 6 14 16 17 18

60" (150CM)
WITH NAP


SEWING INFORMATION

FABRIC KEY



SEAM ALLOWANCES

Use 1/4" (6mm) seam allowances unless otherwise indicated.



PIN AND FIT

Pin or baste seams, **RIGHT SIDE TOGETHER**, matching notches. Fit garment before stitching major seams.

PRESS

Press seam allowances flat; then open unless otherwise stated. Clip where necessary so they lie flat.

GLOSSARY

Sewing methods shown in **BOLD TYPE** have Sewing Tutorial Video available. Scan QR CODE to watch videos:

DART - See Darts: "sewing flat dart" video.

SEWING TUTORIALS




Build your skills viewing short, easy-to-follow videos at simplicity.com/sewingtutorials

GLOSSARY OF SEWING METHODS

Sewing procedures **BOLD/ITALICIZED** in Sewing Directions are defined below.

SLIPSTITCH - Slide needle through a folded edge, then pick up a thread of underneath fabric.


LADDER STITCH - Using a strong thread, take a small stitch in one edge close to seam. Then take a small stitch in the other edge close to seam. Pull up thread after each stitch to bring edges together. Continue to alternate from edge to edge with the smallest hand stitches possible. Knot thread securely at end of stitching.



LADDER STITCH

STUFF - Pull fiberfill apart and fluff it before you use it. Break apart lumps and thick spots. Use pieces about the size of a tennis ball for large areas. For small areas, use pieces the size of a ping pong ball or smaller. Pack into place using the end of a long handled wooden spoon or chopstick. Pack firmly in place each time stuffing is added, unless otherwise directed in Sewing Instructions. Use both hands to mold and shape, being careful not to over stuff or make lopsided. When stuffing sections that will be inserted into seams, place less stuffing at opening seam line so that you will be able to stitch through it.


All seam allowances are 1/4" (6mm), unless otherwise indicated. Press seams open unless otherwise indicated, clipping as necessary.



STUFF


GENERAL DIRECTIONS FOR APPLIQUE

PREPARE - Fuse paper back fusible web to **WRONG** side of applique fabric following manufacturer's instructions. Pin pattern to **RIGHT** side of prepared fabric. Cut out each applique. Transfer markings to **RIGHT** side of applique using a washable fabric marking pen or pencil.



Prepare Applique

APPLY - Remove paper backing from applique. Pin applique(s) to item within placement lines as instructed in sewing directions. Fuse in place following manufacturer's instructions. Zig-zag (satin) stitch along raw edges.




Apply Applique

EMBROIDERY STITCHES

NOTE: Use embroidery floss in a contrasting color for all embroider stitches and knot one end.

RUNNING STITCH:



RUNNING STITCH

BACK STITCH:



BACK STITCH

FRENCH KNOT:



FRENCH KNOT


PATTERN PIECES WILL BE IDENTIFIED BY NUMBERS THE FIRST TIME THEY ARE USED. STITCH SEAMS WITH RIGHT SIDES TOGETHER UNLESS OTHERWISE STATED.

Seam allowance is 1/4" (6mm) unless otherwise stated.


BEAR A

BODY FRONT APPLIQUE

1. PREPARE INNER EAR, MUZZLE AND BELLY APPLIQUE (2). With **RIGHT** sides up, **APPLY** belly to **BODY FRONT (1)** centered within placement line, **APPLY** muzzle to body front centering within placement line.



2. PREPARE NOSE APPLIQUE (3). **APPLY** nose to muzzle along placement line. Attach safety eyes to small dots on face, following manufacturer's directions.



3. Embroider muzzle along solid line below nose using a RUNNING STITCH. Make a FRENCH KNOT at lower end.



EARS

4. For each ear, with RIGHT sides up, APPLY Inner Ear applique to EAR (4), within placement line. (Remaining ear sections will be used as facing.)




5. Pin ear FACING (4) to ear, matching dots. Stitch curved edge



6. Turn RIGHT side out; baste raw edges.




7. On outside, with inner ear side down, pin ears to upper edge of body front, matching small dots, having raw edges even. Baste, clipping ears as necessary.




ARMS

8. With RIGHT sides together, fold ARM (5) along lower fold line, having long edges even. Stitch long edges to dot on curved edge. Clip lower edge to small dot.



9. Turn arm RIGHT side out, folding upper edge along fold lines with small and large dots.




10. STUFF hand section of arm with Polyfil. Baste raw edges together.



11. Tie a knot on arm above curved edge.



12. With seam facing body, pin arms to body front, matching small and large dots, having raw edges even; baste.



LEGS


13. With RIGHT sides together, fold LEG (6) along lower fold line, having long edges even. Stitch long edges to dot on curved edge. Clip inward corner and lower edge to small dot.



14. Turn leg RIGHT side out, folding upper edge along fold lines with small and large dots.




15. STUFF foot section of leg with Polyfil. Baste raw edges together.



16. Tie a knot on leg above curved edge.




17. With seam facing body, pin legs to lower edge of body front, matching small and large dots, having raw edges even; baste.



BODY BACK


18. Stitch dart seam on BODY BACK (7). Slash fold of dart to 1/2" (1.3cm) from point of stitching. Press dart open and point flat.




19. With RIGHT sides together, pin body back sections, matching notches and dots. Stitch center back seam, leaving free between dots for turning and stuffing. Clip curve.




20. With RIGHT sides together, pin body back to body front, matching centers and small dots, having raw edges even. Stitch; clip curve. Turn body RIGHT side out.



21. STUFF body firmly with fiberfill.




22. Close opening using a LADDER STITCH.




FROG B

BODY FRONT APPLIQUE


1. To separate MOUTH AND BELLY APPLIQUE AND INNER EYE (9), cut along solid line. PREPARE MOUTH AND BELLY APPLIQUE. Cut out inner eye shapes and set aside.



2. APPLY mouth and belly appliques to **BODY FRONT (8)** within placement lines.



3. Thread needle with embroidery floss. Embroider mouth on body front using a **BACK STITCH**.



EYES

4. **PREPARE PUPIL APPLIQUE** (11). **APPLY** pupil to RIGHT side of inner eye.



5. With right sides together, pin **EYE** (10) to inner eye/pupil, matching dots. Stitch curved edge.



6. Turn RIGHT side out; baste raw edges.




7. On outside, with eye side down, pin eye to upper edge of body front, matching small dots, having raw edges even. Baste.




ARMS

8. With RIGHT sides together, fold **ARM** (12) along lower fold line, having long edges even. Stitch long edges to dot on curved edge. Clip curve. Trim corners. Clip lower edge to small dot.



9. Turn arm RIGHT side out, folding upper edge along fold lines with small and large dots.



10. **STUFF** hand section of arm with Polyfil. Baste raw edges together.




11. Stitch hand section along stitching lines.



12. Tie a knot on arm above curved edge.




13. With seam facing body, pin arms to body front, matching small and large dots, having raw edges even; baste.




LEGS

14. With RIGHT sides together, fold **LEG** (13) along lower fold line, having long edges even. Stitch long edges. Clip to inward corner. Trim corners.



15. Turn leg RIGHT side out, folding upper edge along fold lines with small and large dots.



16. **STUFF** foot section of leg with Polyfil. Baste raw edges together.



17. Stitch foot section along stitching lines.



18. Tie a knot on leg above curved edge.




19. With seam facing body, pin legs to lower edge of body front, matching small and large dots, having raw edges even; baste.



BODY BACK


20. Complete frog following **BEAR A**; **BODY BACK** steps 18-22.



MONKEY C

BODY FRONT APPLIQUE

1. **PREPARE INNER EAR, FACE AND CHEST APPLIQUE** (15). **APPLY** face and chest appliques to **BODY FRONT** (14). Set aside inner ear appliques.



2. Thread needle with embroidery floss. Embroider mouth on face along solid line using a **BACK STITCH**.



3. Attach safety eyes to upper small dots on face, following manufacturer's directions.



EARS

4. **APPLY** Inner Ear (15) appliques to RIGHT side of two **EAR** (16). (Remaining ear sections will be used as facing.)




5. With RIGHT sides together, pin ear **FACING** (16) to ear, matching dots. Stitch curved edge.



6. Turn RIGHT side out; baste raw edges.



7. On OUTSIDE, with inner ear side down, pin ears to upper edge of body front, matching small and large dots, having raw edges even, clipping ears as necessary. Baste.



ARMS


Prepare **ARM** (5) sections and apply to body front in the same manner as described for **BEAR A**; **ARMS**, steps 8-12.

LEGS

Prepare **LEG** (6) sections and apply to body front in the same manner as described for **BEAR A**; **LEGS**, steps 13-17.

BODY BACK

8. Stitch dart seam on **BODY BACK** (18). Slash fold of dart to 1/2" (1.3cm) from point of stitching. Press dart open and point flat.




9. With RIGHT sides together, fold **TAIL** (17) in half lengthwise, matching small dots, having long edges even. Stitch long edges. Clip to inward corner.




10. Turn tail RIGHT side out.



11. **STUFF** tail with Polyfil. Baste raw edges together, matching small dots.



12. Pin tail to center back seam in one body back section, matching small and large dots, having raw edges even; baste.




13. With RIGHT sides together, pin body back sections, matching notches and dots. Stitch center back seam, leaving free between small dots for turning and stuffing. Clip curves.




14. With RIGHT sides together, pin body back to body front, matching centers and dots, having raw edges even. Stitch; clip curves.




15. Turn body RIGHT side out.



16. **STUFF** body firmly with fiberfill.




17. Close opening using a **LADDER STITCH**.



COW D

BODY FRONT APPLIQUE

1. **PREPARE MUZZLE AND SPOTS APPLIQUE (20).** Cut out muzzle along solid lines for opening. **APPLY** muzzle and spots to RIGHT side of BODY FRONT (19).




2. Embroider mouth along solid line below muzzle, using a running stitch. Attach safety eyes to small dots on face on body front, following manufacturer's directions.



HORNS

3. Cut out **INNER EAR, HORN AND TAIL (21)** from contrast fabric remnant. Transfer markings.




4. With RIGHT sides together, fold each Horn section in half lengthwise, matching large dots. Stitch curved edge.



5. Turn RIGHT side out; baste raw edges, matching dots.



6. On outside, pin horns to top of head on body front, matching small and large dots, having raw edges even, clipping horns if necessary. Baste.



EARS

7. With RIGHT sides together, pin Inner Ear (21) to OUTER EAR (22), matching small and large dots. Stitch curved edge.



8. Turn RIGHT side out; baste raw edges.



9. Fold outer ear along fold line toward inner ear; baste raw edges.




10. On OUTSIDE, with inner ear side down, pin ears to upper side edge of body front, matching small and large dots, having raw edges even, clipping ears as necessary. Baste.



ARMS


11. With RIGHT sides together, fold ARM (23) along lower fold line, having long edges even. Stitch long edges to dot on curved edge. Clip curves and lower edge to small dot.




12. Turn arm RIGHT side out, folding upper edge along fold lines with small and large dots.



13. Stitch hoof section along stitching line.



14. **STUFF** lower section of arm with Polyfil. Baste raw edges together.



15. Tie a knot on arm above curved edge.



16. With seam facing body, pin arms to body front, matching small and large dots, having raw edges even; baste, clipping arm where necessary.




LEGS


17. With RIGHT sides together, fold LEG (24) along lower fold line, having long edges even. Stitch long edges. Clip to inward corners.



18. Turn leg RIGHT side out, folding upper edge along fold lines with small and large dots. Stitch hoof section along stitching line.




19. **STUFF** hoof section of leg with Polyfil. Baste raw edges together.



20. Tie a knot on leg above curved edge.




21. With seam facing body, pin legs to lower edge of body front, matching small and large dots, having raw edges even; baste, clipping leg where necessary.



BODY BACK


22. Stitch dart seam on BODY BACK (18). Slash fold of dart to 1/2" (1.3cm) from point of stitching. Press dart open and point flat.



23. With RIGHT sides together, fold Tail (21) in half lengthwise, matching small dots, having long edges even. Stitch long edges.



24. Turn tail RIGHT side out. To fringe lower edge of tail, slash along solid lines at lower edge.




25. Pin tail to center back seam in one body back section, matching small and large dots, having raw edges even; baste.





26. With RIGHT sides together, pin body back sections, matching notches and dots. Stitch center back seam, leaving free between small dots for turning and stuffing. Clip curves.




27. With RIGHT sides together, pin body back to body front, matching centers and dots, having raw edges even. Stitch; clip curves.



28. Turn body RIGHT side out. **STUFF** body firmly with fiberfill.



29. Close opening using a **LADDER STITCH**.





Congrats!

You've completed your sewing adventure

SHARE YOUR LOOK



Post your pattern and tag us
[@simplicity_creative_group](#) and [#simplicitypatterns](#)
for a chance to be featured on our social media.

Look for more PDF patterns at [simplicity.com](https://www.simplicity.com)

Have a question or need help with your sewing project call us at
1-800-782-0323

McCall's
by **design**_{group}

McCall's ©2024 a division of IG Design Group Americas Inc. • Atlanta, GA 30342 USA www.thedesigngroup.com • All Rights Reserved. www.mccall.com • Made in the U.S.A. Fabriqué aux États-Unis.

To be used for individual private home use only and not for commercial or manufacturing purposes. • A usage privé seulement et non à des fins commerciales ou de production en série. • Para uso privado solamente, no se puede utilizar con propósitos de comercialización o de producción en serie.