

# McCall's COSTUMES







M8548



Designed and printed in USA

Shop all the pattern brands you love @

**Simplicity®.com**



Easy  
Fadde

## MISSES' CIRCLE SKIRTS

**Suggested Fabrics: A, B, C, D and Appliqués:** Felt.

**Notions: A, B, C, D:** Waistband hook and bar, one 7" (18cm) zipper, 1 $\frac{3}{8}$  yds. (1.2m) of  $\frac{3}{4}$ " (2cm) elastic. **Also for A:** 1 $\frac{1}{2}$  yds. (1.4m) of  $\frac{1}{4}$ " -  $\frac{3}{8}$ " (6mm - 10mm) flexible braid trim, 6 $\frac{3}{4}$  yds. (6.1m) of marabou feather boa. **Also for B:** 10 yds. (9.1m) of  $\frac{3}{8}$ " (1cm) sequin trim. **Also for D:** Three pkgs. of jumbo rick rack.

Sizes	XS (4-6)	S (8-10)	M (12-14)	L (16-18)	XL (20-22)	XXL (24-26)	
-------	-------------	-------------	--------------	--------------	---------------	----------------	--

**Skirt A** 72" 2 $\frac{1}{4}$ " 2 $\frac{3}{8}$ " 2 $\frac{7}{8}$ " 3 $\frac{1}{8}$ " 3 $\frac{1}{4}$ " 3 $\frac{3}{8}$ " Yds.

**Skirt B** 72" 2 $\frac{1}{4}$ " 2 $\frac{3}{8}$ " 2 $\frac{7}{8}$ " 4" 4" 4 $\frac{1}{8}$ " 4 $\frac{1}{4}$ " Yds.

**Skirt C** 72" 2 $\frac{1}{4}$ " 2 $\frac{3}{8}$ " 2 $\frac{7}{8}$ " 3 $\frac{1}{8}$ " 3 $\frac{1}{4}$ " 3 $\frac{3}{8}$ " Yds.

**Skirt D** 72" 2 $\frac{1}{4}$ " 2 $\frac{3}{8}$ " 2 $\frac{7}{8}$ " 3 $\frac{1}{8}$ " 3 $\frac{1}{4}$ " 3 $\frac{3}{8}$ " Yds.

**Snowflake Appliqué** - 9" x 10" remnant in each of felt and paper-backed fusible web

**Spider Appliqué** - 6" x 9" remnant

**Eye Appliqué** - 3" x 3" remnant

**Paper-backed Fusible Web** - 9" x 9" remnant

**Skirt C** 72" 2 $\frac{1}{4}$ " 2 $\frac{3}{8}$ " 2 $\frac{7}{8}$ " 3 $\frac{1}{8}$ " 3 $\frac{1}{4}$ " 3 $\frac{3}{8}$ " Yds.

**Heart Appliqué:** 72" -  $\frac{3}{4}$  yd.

**Inner Heart Appliqué:** 72" -  $\frac{1}{2}$  yd.

**Paper-backed Fusible Web:** 17" - 3 $\frac{3}{8}$  yds.

**Skirt D** 72" 2 $\frac{1}{4}$ " 2 $\frac{3}{8}$ " 2 $\frac{7}{8}$ " 3 $\frac{1}{8}$ " 3 $\frac{1}{4}$ " 3 $\frac{3}{8}$ " Yds.

**Lightbulb Appliqués** - 10" x 14" remnant in five different colors

**Socket Appliqués** - 8" x 12" remnant

**Paper-backed Fusible Web:** 17" - 1 $\frac{3}{8}$  yds.

**FINISHED GARMENT MEASUREMENTS (Includes Design and Wearing Ease)**

**A, B, C, D Waist** 25 27 30 $\frac{1}{2}$  34 $\frac{1}{2}$  38 $\frac{1}{2}$  42 $\frac{1}{2}$  Ins.

**Finished back length from waist** 30 30 30 30 30 30 Ins.

**Skirt A, B, C, D** 30 30 30 30 30 30 Ins.

**JUPES CIRCULAIRES POUR JEUNES FEMMES**

**Tissus Conseillés: A, B, C, D et Appliqués:** Feutre.

**Merci:** A, B, C, D: 1 crochet pour jupe, 1 fermeture à glissière de 18cm, 1.2m d'élastique de 2cm. **Aussi pour A:**

1.4m de soutache extensible de 1cm, 6.1m de boa en plumes de marabout. **Aussi pour B:** 9.1m de garniture de

paillettes de 1cm. **Aussi pour D:** 3 paquets de crochet géant.

**Tailles** TP P M G TG TTG

**Françaises** 32-34 36-38 40-42 44-46 48-50 52-54

**Européen** 30-32 34-36 38-40 42-44 46-48 50-52

**Jupe A** 183cm 2.5 2.5 2.6 2.7 3.0 3.1 m

**Jupe B** 183cm 1.9 2.1 3.0 3.2 3.3 3.3 m

**Jupe C** 183cm 2.5 2.5 2.6 2.7 3.0 3.1 m

**Jupe D** 183cm 2.5 2.5 2.6 2.7 3.0 3.1 m

**Appliqué de flocon de neige** - Morceau de 23cm x 25cm de feutre et de matière thermocollante avec support de papier

**Appliqué de araignée** - Morceau de feutre de 23cm x 15cm

**Appliqué de oeil** - Morceau de feutre de 8cm x 8cm

**Matière thermocollante avec support de papier** - Morceau de 23cm x 23cm

**Appliqué de coeur:** 183cm - 0.6m

**Appliqué de coeurs intérieurs:** 183cm - 0.5m

**Matière thermocollante avec support de papier:** 43cm - 3.1m

**Appliqués d'ampoules** - Morceau de 25cm x 36cm de feutre en 5 couleurs différentes

**Appliqués de prise:** Morceau de feutre de 20cm x 30cm

**Matière thermocollante avec support de papier:** 43cm - 1.6m


**MESURES DES VÊTEMENTS FINI (Motif et aisance de port compris)**

**A, B, C, D Taille** 64 69 77 88 98 108 cm

**Longueur finie - dos, taille à l'ourlet** 76 76 76 76 76 76 cm

**Jupe A, B, C, D** 76 76 76 76 76 76 cm

\*with nap \*\*without nap \*avec sens \*\*sans sens



**PATTERN MARKINGS**

**GRAINLINE:** Place on straight grain of fabric, parallel to selvage or fold.

**FOLDLINE:** Place line on fold of fabric.

**BUTTONHOLE MARKING:** Indicates exact length and placement of buttonholes.

**BUTTON MARKING:** Indicates button placement.

**NOTCHES AND SYMBOLS:** For matching seams and construction details.

Indicates the Bustline, Waistline, Hip and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary. The measurement excludes pleats, tucks, darts and seam allowances.

**SEAM ALLOWANCE:** 5/8" (1.5cm) included unless otherwise indicated, but not printed on tissue.

**ADJUST IF NECESSARY**

Lengthen or Shorten at adjustment lines (==) or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

**TO SHORTEN:** Crease along adjustment line. Make a fold half the amount needed. Tape in place.

**TO LENGTHEN:** Slash between adjustment lines. Spread amount as needed, keeping edges parallel. Tape over paper.

When Alteration lines are not on tissue, lengthen or shorten at lower edge.

**CUTTING AND MARKING**

**SHRINK FABRIC** if not labeled pre-shrunk. Press.

**CIRCLE LAYOUT** for View, Size, Fabric Width.

Use **WITH NAP** layout for fabrics with one-way designs, nap, pile or surface shading. Because most knits have surface shading, a with nap layout is used.

For **DOUBLE THICKNESS (WITH FOLD)** - fold fabric with right sides together.

**\* DOUBLE THICKNESS (WITHOUT FOLD)** - For fabrics with nap, fold fabric crosswise, right sides together. Mark as shown. Cut along crosswise fold of fabric (A). Turn upper layer 180° so arrows go in same direction and place over lower layer, right sides together (B).

For **SINGLE THICKNESS** - place fabric right side up. (For Fur Pile fabrics, place pile side down.)

★ Cut other pieces first, allowing enough fabric to cut this piece. Open fabric. For "Cut 1" pieces, cut piece once on single layer of fabric with piece face up on right side of fabric.

Pattern may have cutting lines for several sizes. Select the proper cutting line or pattern pieces for your size.

Before **CUTTING** place all pieces on fabric according to layout. Pin. (Layouts show approximate position of pattern pieces; position may vary according to your pattern size.) Cut **ACCURATELY**, cutting notches outward.

Before removing pattern, **TRANSFER MARKINGS** and lines of construction to Wrong Side of fabric, using the Pin and Chalk Pencil method or Tracing Paper and Dressmaker Wheel. Markings needed on right side of fabric should be thread traced.


**NOTE:** Broken-line boxes (a! b! c!) in layouts represent pieces cut by measurements provided.

**CUTTING LAYOUTS**

RIGHT SIDE OF PATTERN	WRONG SIDE OF PATTERN	RIGHT SIDE OF FABRIC	WRONG SIDE OF FABRIC
-----------------------	-----------------------	----------------------	----------------------

**SKIRT A,C,D**  
USE PIECES: 1 4

72" (183 CM)  
ALL SIZES




**SPIDER APPLIQUÉ B** - CUT ONE OF PIECE 7 FROM REMNANT.

**EYE APPLIQUÉ B** - CUT ONE OF PIECE 8 FROM REMNANT.

**PAPER BACKED FUSIBLE WEB B** - CUT ONE EACH OF PIECES 7 AND 8 FROM REMNANT.


**PAPER BACKED FUSIBLE WEB C**  
USE PIECES: 9 10

17" (43 CM)  
ALL SIZES



**HEART APPLIQUÉ C**  
USE PIECE: 9

72" (183 CM)  
ALL SIZES




**A SNOWFLAKE APPLIQUÉ**  
CUT ONE OF PIECE 3 IN EACH OF FELT AND PAPER BACKED FUSIBLE WEB REMNANTS.

**SKIRT B**  
USE PIECES: 4 6 (6A)


**B NOTE:** BEFORE CUTTING FABRIC, JOIN PIECE IN PARENTHESIS TO CORRESPONDING PIECE FOLLOWING INSTRUCTIONS ON TISSUE PATTERN.

72" (183 CM)  
SIZES XS S




**INNER HEART APPLIQUÉ C**  
USE PIECE: 10

72" (183 CM)  
ALL SIZES




72" (183 CM)  
SIZES M L XL XXL




**PAPER BACKED FUSIBLE WEB C**  
USE PIECES: 11 12

17" (43 CM)  
ALL SIZES




12 PATTERN PIECES



- 1 SKIRT FRONT AND BACK - A,C,D
- 2 GUIDE - A
- 3 SNOWFLAKE - A
- 4 WAISTBAND - A,B,C,D
- 5 GUIDE FOR ELASTIC - A,B,C,D
- 6 SKIRT FRONT AND BACK - B
- 6A EXTENSION - B
- 7 SPIDER APPLIQUÉ - B
- 8 EYE APPLIQUÉ - B
- 9 HEART APPLIQUÉS - C
- 10 INNER HEART APPLIQUÉS - C
- 11 LIGHTBULB APPLIQUÉS - D
- 12 SOCKET APPLIQUÉS - D


**SEWING INFORMATION**

**FABRIC KEY**



**SEAM ALLOWANCES**

Use 5/8" (1.5cm) seam allowances unless otherwise indicated.



**PIN AND FIT**

Pin or baste seams, **RIGHT SIDE TOGETHER**, matching notches. Fit garment before stitching major seams.

**PRESS**

Press seam allowances flat; then open unless otherwise stated. Clip where necessary so they lie flat.

**GLOSSARY**

Sewing methods in **BOLD TYPE** have Sewing Tutorial Video available. Scan **QR CODE** to watch videos:

**INVISIBLE ZIPPER** - See **sewing an invisible zipper** video.

**SLIPSTITCH** - See **how to slipstitch** video.

**STAYSTITCH** - See **how to do stay-stitching** video.

**SEWING TUTORIALS**



Build your skills viewing short, easy-to-follow videos at [simplicity.com/sewingtutorials](http://simplicity.com/sewingtutorials)

Sewing procedures **BOLD** in Sewing Directions are defined below.

**GENERAL DIRECTIONS FOR APPLIQUÉ**

**PREPARE** - Fuse paper back fusible web to **WRONG** side of appliqué fabric following manufacturer's instructions. Pin pattern to **RIGHT** side of prepared fabric. Cut out each appliqué. Transfer markings to **RIGHT** side of appliqué using a washable fabric marking pen or pencil.



**APPLY** - Remove paper backing from appliqué. Pin appliqué(s) to item within placement lines as instructed in sewing directions. Fuse in place following manufacturer's instructions. **EDGESTITCH** along raw edges, if desired.




**SKIRT A, B, C, D**


**NOTE:** Under each sub-heading, the first View will be illustrated, unless otherwise indicated

**FRONT, BACK AND ZIPPER**


**1.** Stitch **SKIRT FRONT AND BACK (1)** or **SKIRT FRONT AND BACK (6)** sections together at sides, leaving left side open above notch. Baste left side opening edges together along seamline above notch. Press.



**2. (A)** Open zipper; place face down on extended seam allowance, placing zipper stop at notch and zipper teeth on seamline. Baste in center of zipper tape, keeping front and back free.



**3. (B)** Close zipper; turn pull tab up. Spread back flat. Baste a scant 1/4"(6mm) from zipper teeth and across lower edge.




**4. (C)** On outside, stitch along basting through all thicknesses, as shown, using a zipper foot. Remove basting. **OPTIONAL:** Apply **INVISIBLE ZIPPER**. For video instructions, see sewing an **INVISIBLE ZIPPER** video.




**TRIM AND APPLIQUÉ**

**VIEW A:**


**5.** With **RIGHT** sides up, pin **GUIDE (2)** to front, matching centers and waist seamlines. Transfer markings.



**6.** Pin flexible braid trim to front, centering trim along placement line. Stitch along center of trim. **PREPARE SNOWFLAKE APPLIQUÉ (3).** **APPLY** snowflake appliqué to front within placement lines.





**7.** On **OUTSIDE**, pin marabou trim along lower edge of skirt, lapping ends at left side seam. Hand-sew in place.




**VIEW B:**

8. Pin sequin trim to front, centering trim along placement lines, folding in fullness at corners. Stitch along center of trim.  
 PREPARE SPIDER APPLIQUÉ (7). **APPLY** spider appliqué to front within placement lines.




9. PREPARE EYES APPLIQUÉ (8). Cut out eye openings. **APPLY** eyes to spider within placement lines.





**VIEW C:**

10. PREPARE HEART APPLIQUÉS (9). **APPLY** heart appliqués to front and back of skirt matching large and small dots.  
 PREPARE INNER HEART APPLIQUÉS (10). **APPLY** inner heart appliqués to hearts within placement lines.





**VIEW D:**

11. Pin rick rack trim to front and back, centering trim along placement line, turning under ends at left side seam. Stitch along center of trim.




12. PREPARE LIGHT BULB APPLIQUÉS (11) in five different colors. PREPARE SOCKET APPLIQUÉS (12). **APPLY** light bulb and socket appliqués to skirt matching large and small dots, having upper edge of socket appliqués along placement line on light bulb appliqués.



**WAISTBAND AND FINISHING**


13. **STAYSTITCH** upper edge of skirt.




14. Turn in seam allowances on unnotched edge of **WAISTBAND** (4). Press. Turn in seam allowances on ends of waistband. Press.




15. With **RIGHT** sides together, pin waistband to skirt, matching centers, placing outer small dots at opening edges and remaining small dot at right side seam, clipping skirt where necessary. Stitch. Press seam toward waistband, pressing in remainder of seam allowance on waistband extension.




16. With **WRONG** sides together, fold waistband in half lengthwise. Press. **SLIPSTITCH** pressed edge over seam and extension edges together. Leave ends open.



17. Cut elastic the length of **GUIDE FOR ELASTIC** (5). Insert elastic into waistband, extending ends 5/8" (1.5cm) past ends. Stitch close to pressed edges, catching elastic in stitching. Trim elastic close to stitching.



18. On **INSIDE**, sew hook to right waistband opening edge, as shown. On **OUTSIDE**, sew bar to left waistband, opposite hook, as shown.





# Congrats!

You've completed your sewing adventure

---

**SHARE  
YOUR** LOOK



Post your pattern and tag us  
[@simplicity\\_creative\\_group](#) and [#simplicitypatterns](#)  
for a chance to be featured on our social media.

Look for more PDF patterns at [simplicity.com](#)

Have a question or need help with your sewing project call us at  
1-800-782-0323

**McCall's**  
by **design**<sub>group</sub>

McCall's ©2024 a division of IG Design Group Americas Inc. • Atlanta, GA 30342 USA [www.thedesigngroup.com](#) • All Rights Reserved. [www.mccall.com](#) • Made in the U.S.A. Fabriqué aux États-Unis.

To be used for individual private home use only and not for commercial or manufacturing purposes. • A usage privé seulement et non à des fins commerciales ou de production en série. • Para uso privado solamente, no se puede utilizar con propósitos de comercialización o de producción en serie.