



NORRIS DANTA FORD
knowME
BY mimi g

ME2105

Easy

Facile

MEN'S TURTLENECK AND CARDIGAN

Suggested Fabrics: **A** in Stretch Knits only such as: Interlock, ITY, Jersey, Rib Knit, Spandex Blends. See Stretch Gauge. **B** in Double Knit, Ponte, Sweater Knits, Sweatshirt Fleece, Terry Knit.

Notions: **B:** Five ¾" (2cm) buttons.

Sizes	34	36	38	40	42	44	46	48	50	52
-------	----	----	----	----	----	----	----	----	----	----

BODY MEASUREMENTS: Select pattern size based on body measurements

	34	36	38	40	42	44	46	48	50	52	Ins.
Chest	34	36	38	40	42	44	46	48	50	52	
Waist	28	30	32	34	36	39	42	44	46	48	"
Hip	35	37	39	41	43	45	47	49	51	53	"

Turtleneck A												
60"*	1%	1%	1%	1%	1%	1½	1½	1½	1½	1½	1½	Yds.

Cardigan B												
60"*	1%	1%	1%	1%	2	2½	2½	2½	2½	2½	2½	Yds.

FINISHED GARMENT MEASUREMENTS (Includes Design and Wearing Ease)

	34	40	42	44	46	48	50	52	54	56	Ins.
A Chest	38	40	42	44	46	48	50	52	54	56	
B Chest	46	48	50	52	54	56	58	60	62	64	"
A Waist	37	39	41	43	45	47	49	51	53	55	"
B Waist	45	47	49	51	53	55	57	59	61	63	"

Width, lower edge											
Turtleneck A	37	39	41	43	45	47	49	51	53	55	Ins.
Cardigan B	45	47	49	51	53	55	57	59	61	63	"

Finished back length from base of neck											
Turtleneck A	22¼	22½	22¾	23	23¼	23½	23¾	24	24¼	24½	Ins.
Cardigan B	25¼	25½	25¾	26	26¼	26½	26¾	27	27¼	27½	"

*with nap **without nap

COL ROULÉ ET CARDIGAN POUR HOMMES

Tissus Conseillés: **A** in tricot extensibles seulement tels que: Interlock, Tricot interlock en fil retors, Jersey, Tricot à côtes, Mélanges de Élasthane. Reportez-vous au taux d'élasticité. **B** en Tricot double, Ponte, Tricot pour chandails, Jersey molletonné pour sweat-shirt, Tricot éponge.

Mercerie: **B:** 5 boutons de 2cm.

Tailles	34	36	38	40	42	44	46	48	50	52
---------	----	----	----	----	----	----	----	----	----	----

MESURES DU CORPS: Choisissez la taille du patron basée sur les mesures du corps

	34	36	38	40	42	44	46	48	50	52	cm
Poitrine	87	92	97	102	107	112	117	122	127	132	
Taille	71	76	82	87	92	99	107	112	117	122	"
Hanches (23cm au-dessous de la taille)	89	94	99	104	109	115	119	124	128	135	cm

Col roulé A											
150cm*	1.5	1.5	1.5	1.5	1.5	1.6	1.6	1.6	1.6	1.6	m

Cardigan B											
150cm*	1.7	1.7	1.7	1.7	1.8	1.9	2.3	2.3	2.3	2.4	m

MESURES DES VÊTEMENTS FINI (Motif et aisance de port compris)

	34	40	42	44	46	48	50	52	54	56	Ins.
A Poitrine	97	102	107	112	117	122	127	132	137	142	cm
B Poitrine	117	122	127	132	137	142	147	152	157	162	"
A Taille	94	99	104	109	115	119	124	130	135	140	"
B Taille	114	119	124	130	135	140	145	150	155	160	"

Largeur à l'ourlet											
Col roulé A	94	99	104	109	115	119	124	130	135	140	cm
Cardigan B	114	119	124	130	135	140	145	150	155	160	"

Longueur finie – dos, votre nuque à l'ourlet											
Col roulé A	57	57	58	58	59	60	60	61	62	62	cm
Cardigan B	64	65	65	66	67	67	68	69	69	70	"

*avec sens **sans sens



A




B



Use the 1 inch (2.54cm) box to ensure you are using rule at 100%
Utilisez la boîte de 2.54 cm pour vous assurer d'utiliser la règle à 100%.
Utilizar un cuadrado de 2.54 cm para asegurarse de estar usando la regla al 100%.




When using the Pick-A-Knit® rule to measure your fabrics stretch capacity, rule must be viewed or printed at 100%.
Quand vous utilisez le taux d'élasticité pour mesurer la capacité d'élasticité des tissus, le taux doit être visible ou imprimé à 100%.
Al utilizar el calibre de elasticidad para medir la capacidad de elasticidad de las telas, el calibre debe estar visible o impreso al 100%.



@norrisdantaford




9 PATTERN PIECES




- 1 Front-A
- 2 Back-A
- 3 Neckband-A
- 4 Sleeve-A
- 5 Front-B
- 6 Pocket-B
- 7 Back-B
- 8 Band-B
- 9 Sleeve-B

PATTERN MARKINGS



ADJUST IF NECESSARY



CUTTING AND MARKING

SHRINK FABRIC if not labeled pre-shrunk. Press.
CIRCLE LAYOUT for View, Size, Fabric Width.
Use **WITH NAP** layout for fabrics with one-way designs, nap, pile or surface shading. Because most knits have surface shading, a with nap layout is used.
For **DOUBLE THICKNESS (WITH FOLD)** - fold fabric with right sides together.
* **DOUBLE THICKNESS (WITHOUT FOLD)** - For fabrics with nap, fold fabric crosswise, right sides together. Mark as shown. Cut along crosswise fold of fabric (A). Turn upper layer 180° so arrows go in same direction and place over lower layer, right sides together (B).
For **SINGLE THICKNESS** - place fabric right side up. (For Fur Flee fabrics, place pile side down.)

★ Cut other pieces first, allowing enough fabric to cut this piece. Open fabric. For "Cut 1" pieces, cut piece once on single layer of fabric with piece face up on right side of fabric.
Pattern may have cutting lines for several sizes. Select the proper cutting line or pattern pieces for your size.
Before **CUTTING** place all pieces on fabric according to layout. Pin. (**Layouts show approximate position of pattern pieces; position may vary according to your pattern size.**) Cut **ACCURATELY**, cutting notches outward.
Before removing pattern, **TRANSFER MARKINGS** and lines of construction to Wrong Side of fabric, using the Pin and Chalk, Pencil method or Tracing Paper and Dressmaker Wheel. Markings needed on right side of fabric should be thread traced.
NOTE: Broken-line boxes (a! b! c!) in layouts represent pieces cut by measurements provided.


CUTTING LAYOUTS

RIGHT SIDE OF PATTERN	WRONG SIDE OF PATTERN	RIGHT SIDE OF FABRIC	WRONG SIDE OF FABRIC
-----------------------	-----------------------	----------------------	----------------------

TURTLENECK A


use pieces: 1 2 3 4

60" (150 cm)
with nap
all sizes




SEWING INFORMATION

FABRIC KEY



SEAM ALLOWANCES


Use 5/8" (1.5cm) seam allowances unless otherwise indicated.




CARDIGAN B

use pieces: 5 6 7 8 9

60" (150 cm)
with nap
sizes 34 36 38 40 42 44



60" (150 cm)
with nap
sizes 46 48 50 52



PIN AND FIT

Pin or baste seams, **RIGHT SIDE TOGETHER**, matching notches. Fit garment before stitching major seams.

PRESS

Press seam allowances flat; then open unless otherwise stated. Clip where necessary so they lie flat.


PATTERN PIECES WILL BE IDENTIFIED BY NUMBERS THE FIRST TIME THEY ARE USED.

STITCH 5/8" (1.5CM) SEAMS WITH RIGHT SIDES TOGETHER UNLESS OTHERWISE STATED.


SEWING DIRECTIONS

TURTLENECK A


1. Pin **FRONT** (1) to **BACK** (2) at shoulder edges. Stitch. Press seam toward back.




2. Stitch center back seam of **NECKBAND** (3). Fold band in half, lengthwise, with **WRONG** sides together; press. Pin.




3. On **OUTSIDE**, pin band to neck edge, matching centers and notches, placing small dots at shoulder seams and having raw edges even.




4. Stitch, stretching the band to fit. Stitch again 1/4" (6mm) away from first stitching within the seam allowance. Trim seam close to second stitching. Press seam toward garment, pressing band out.



5. With RIGHT sides together, pin SLEEVE (4) to armhole edge with center small dot at shoulder seam, matching notches and remaining small dots. Stitch. Clip curves. Press seam toward garment.




6. Stitch front to back at entire underarm seam, matching armhole seams.



7. Press up 1" (2.5cm) hem allowance on lower edge of sleeve. Stitch 1/4" (6mm) from raw edge and 1/4" (6mm) from first stitching.




8. Press up 1-1/4" (3.2cm) hem allowance on lower edge of garment. Stitch 1/4" (6mm) from raw edge and 1/4" (6mm) from first stitching.




CARDIGAN B


1. Turn upper edge of POCKET (6) to OUTSIDE along fold line, forming facing. Stitch along seam line on raw edges. Trim seam allowance in the facing area to 1/4" (6mm).




2. Turn corners RIGHT side out, turning facing to the WRONG side; press, pressing under raw edges along stitching. Stitch facing 1/4" (6mm) from raw edge.




3. On OUTSIDE, pin pocket to FRONT (5), matching large dots. Stitch close to side and lower edges.




4. Pin front to BACK (7) at shoulder edges. Stitch. Press seam toward back.




5. With RIGHT sides together, pin SLEEVE (9) to armhole edge with center small dot at shoulder seam, matching notches and remaining small dots. Stitch. Clip curves. Press seam toward garment.




6. Stitch front to back at entire underarm seam, matching armhole seams.




7. Press up 1" (2.5cm) hem allowance on lower edge of sleeve. Stitch 1/4" (6mm) from raw edge.




8. Stitch center back edges of BAND (8). Fold band along foldline at ends with RIGHT sides together, matching small dots. Stitch across ends. Trim seam.




9. Turn band; press, pressing out corner. Fold band along foldline with WRONG sides together. Baste. Make buttonholes in LEFT front of band at markings.




10. With RIGHT sides together and raw edges even, pin band to front and neck edge of cardigan, matching centers, small dots, and notches. Turn up 1-1/4" (3.2cm) hem allowance on lower edge of front (over band). Stitch front and neck edge, stretching the band to fit.




11. Press band out; pressing seam toward cardigan, turning up hem. Stitch cardigan close to seamline.



12. Press up remaining 1-1/4" (3.2cm) hem allowance on lower edge of cardigan. Stitch 1/4" (6mm) from raw edge between band seams.



13. Lap LEFT front over RIGHT, matching centers. Sew buttons to RIGHT side of band under buttonholes.





Congrats!

You've completed your sewing adventure

SHARE YOUR LOOK



Post your pattern and tag us
[@simplicity_creative_group](#) and [#knowMepatterns](#)
for a chance to be featured on our social media.

Look for more PDF patterns at [simplicity.com](https://www.simplicity.com)

Have a question or need help with your sewing project call us at
1-800-782-0323

