

S3115

Simplicity®

1950s Vintage



Designed and printed in USA.

Average

MISSES' TWO-PIECE PLAY SUIT IN TWO LENGTHS AND SKIRT

**Suggested Fabrics:** **Style 1:** Cotton Types, Denim, Linen Types, Rayon. **Style 2:** Lengthwise Striped Cotton, Linen or Rayon. **Lining (opt.):** Cotton Types, Lining Fabric.

**Notions:** **Style 1 and Style 2 Top:** Five buttons, seam binding (opt.), hook and eye, snap fasteners, 3 yds. (3.0m) of ¼" (6mm) featherweight boning (opt.). **Style 1 Pants and Style 2 Shorts:** One 7" (18cm) zipper, seam binding (opt.). **Style 1 and Style 2 Skirt:** One 7" (18cm) zipper, hooks and eyes, seam binding (opt.)

Sizes	6	8	10	12	14	16	18	20	22	24
European	32	34	36	38	40	42	44	46	48	50

BODY MEASUREMENTS: Select pattern size based on body measurements

Bust	30½	31½	32½	34	36	38	40	42	44	46	Ins.
Waist	23	24	25	26½	28	30	32	34	37	39	"
Hip-9" below waist	32½	33½	34½	36	38	40	42	44	46	48	"
Back-neck to waist	15½	15¾	16	16¼	16½	16¾	17	17¼	17½	17¾	"

Style 1, 2 - Pants pocket lining (opt.) - 45\*\*\* - ¾ yd.

Style 1 - Pants, Top and Skirt

45**	4%	4%	4%	5	5%	5%	5%	5%	5%	5%	Ins.
60**	4	4%	4%	4%	4%	4%	4½	4¾	4¾	5	"

Style 1 Pants

45**	1¾	1%	1%	2	2	2	2½	2½	2½	2½	Ins.
60**	1¾	1½	1½	1%	1%	1%	1%	1%	2	2	"

Style 2 - Top, Short Pants and Skirt - Lengthwise Striped Fabric

45**	4%	4%	4%	4%	4%	4%	4%	4%	5%	5%	Ins.
60**	3%	3%	3%	3%	3%	3%	4%	4%	4%	4½	"

NOTE: Please refer to the sewing instructions for FINISHED GARMENT MEASUREMENTS.

\*with nap \*\*without nap

Average

Moins Facile

COMBINAISON EN DEUX PIÈCES EN DEUX LONGUEURS ET JUPE POUR JEUNES FEMMES

**Tissus Conseillés:** **Modèle 1:** Types coton, Denim, Types toile de lin, Rayonne. **Modèle 2:** Coton à rayures verticale, Toile de lin ou Rayonne. **Doublure (facultatif):** Types coton, Tissue à doublure.

**Merceria:** **Modèle 1 et Modèle 2 Haut:** 5 boutons, extra-fort (facultatif), 1 agrafe, boutons-pressions, 3.0m de baleine de poids très léger de 6mm (facultatif). **Modèle 1 Pantalon, Modèle 2 Short:** 1 fermeture à glissière de 18cm, extra-fort (facultatif). **Modèle 1 et Modèle 2 Jupe:** 1 fermeture à glissière de 18cm, agrafes, extra-fort (facultatif).

Tailles	6	8	10	12	14	16	18	20	22	24
Françaises	34	36	38	40	42	44	46	48	50	52
Européen	32	34	36	38	40	42	44	46	48	50

MESURES DU CORPS: Choisissez la taille du patron basée sur les mesures du corps

Poitrine	78	80	83	87	92	97	102	107	112	117	cm
Taille	58	61	64	67	71	76	81	87	94	99	"

Hanches (23cm au-dessous de la taille)

	83	85	88	92	97	102	107	112	117	122	cm
Dos du cou à la taille	39.5	40	40.5	41.5	42	42.5	43	44	44	44.5	"

Modèle 1, 2 - Doublure pour poche de pantalon (facultatif) - 115cm\*\* - 0.3m

Modèle 1 - Pantalon, haut et jupe

115cm*	4.3	4.5	4.5	4.6	5.1	5.3	5.3	5.3	5.3	5.4	m
150cm*	3.7	3.7	3.8	3.8	3.8	4.0	4.1	4.3	4.3	4.6	"

Modèle 1 Pantalon

115cm*	1.6	1.6	1.7	1.7	1.8	1.8	1.8	1.9	2.1	2.1	m
150cm*	1.3	1.3	1.4	1.5	1.6	1.7	1.7	1.7	1.8	1.8	"

Modèle 2 - Haut, pantalon court et jupe - tissu à rayures verticale

115cm*	4.2	4.3	4.3	4.3	4.3	4.5	4.5	4.5	4.8	4.9	m
150cm*	3.5	3.5	3.5	3.5	3.5	3.5	3.8	3.8	3.9	4.1	"

NOTE: S'il vous plaît, reportez-vous au instructions de couture pour les MESURES DU VÊTEMENTS FINI.

\*avec sens \*\*sans sens




1



1



1



1



2




1,2


**AUTHENTIC VINTAGE PATTERN REPRODUCTION**  
INCLUDES ADDITIONAL SIZE OPTIONS AND CUTTING LAYOUTS

**Simplicity Primer**  
GUIDE FOR CUTTING AND SEWING... DETAILED DRESSMAKING



1. STUDY THE PIECES TO PIECES GIVEN SEE CUTTING NOTES



2. ADJUST PATTERN




3. PREPARE FABRIC



**PIECES USED**  
STYLE 1 — A, B, C, D, E, F, G, H, K, L  
STYLE 2 — A, B, C, D, E, F, G, H, K, L


4. LAYOUT PATTERN AND CUT SEAM ALLOWED — 5/8" UNLESS OTHERWISE STATED



CUTTING NOTES

When pattern piece extends beyond fold of fabric, open fabric before cutting, place pattern on right side of fabric in position shown.  
**BIAS FACINGS, Z** — Cut bias fabric strips 2" wide.  
**SHOULDER STRAPS (Optional)** — Cut 2 by pattern C.  
**STYLE 1**  
**PANTS POCKET** — When nap fabric is used, cut 2 by pattern F of pants fabric and 2 of lining fabric. For other fabrics, cut 4 by pattern F of pants fabric.

MARKS USED




5. CUTTING


CUTTING DIAGRAMS FOR FABRIC WITHOUT NAP OR ONE WAY DESIGN UNLESS OTHERWISE STATED

GENERAL NOTE: CUT ONE @, QUIT K UNDERNEATH.

STYLE 1



STYLE 2




LENGTHWISE STRIPED FABRIC

6. MARK FABRIC

The Pattern line of your Simplicity pattern is perfect, as are all trimming lines, cutting lines and other important construction points. It is essential that all of these construction points be marked on fabric. Here are two ways to mark fabric.  
Snip notches or mark notches. Run bastings at centers front and back. Do not remove center bastings until garment is finished.



**TAILOR'S TACKS** — Use long double thread and make tailor's tacks thru marking lines and o's allowing two inch loops. After all tacks are made, cut top loops before removing pattern. Separate two thicknesses of fabric, and clip threads between layers. Do not remove pattern until ready to sew.



**MARKING WITH TRACING WHEEL** — Slip a sheet of tracing paper under both pieces of garment and another on top under pattern piece, right sides of paper toward fabric. Trace lines of pattern with tracing wheel, using a ruler on straight lines. Do not remove pattern until ready to sew.



# Simplicity®

S3115

Thank you for purchasing this Simplicity pattern. We made every effort to provide you with a high quality product.


## SUPPLEMENTAL CUTTING LAYOUTS

Sizes	6	8	10	12	14	16	18	20	22	24
European	32	34	36	38	40	42	44	46	48	50

### FINISHED GARMENT MEASUREMENTS (Includes Design and Wearing Ease)

Style 1,2 Top Bust	32	33	34	35½	37½	39½	41½	43½	45½	47½	Ins.
Style 1,2 Top Waist	24½	25½	26½	28	30	32	34	36	38	40	"
Style 1,2 Pants Waist	24	25	26	27½	29½	31½	33½	35½	37½	39½	"
Style 1,2 Pants Hip	39	40	41	42½	44½	46½	48½	50½	52½	54½	Ins.
Width, lower edge											
Style 1,2 Top	32½	33½	34½	36	38	40	42	44	46	48	Ins.
Style 1,2 Skirt	99%	100%	101½	103	105	107	109	111	113	115	"
Width, each leg											
Style 1 Pants	14	14½	15	15½	16	15	15½	16	16½	17	Ins.
Style 1 Shorts	22	22½	23½	25	26½	27½	28½	30	31½	32½	"
Finished back length from base of neck											
Style 1,2 Top	20½	20½	21	21½	21½	22	22½	22½	22½	22½	Ins.
Finished back length from waist											
Style 1,2 Skirt	29	29	29	29	29	29	29	29	29	29	Ins.
Finished side length from waist											
Style 1 Pants	29%	30	30½	30½	30½	31	31½	31½	31½	32	Ins.
Style 2 Shorts	14%	14½	14½	15	15½	15½	16	16	16½	16½	"

10 PIECES



A TOP FRONT  
 B TOP BACK  
 C SHOULDER STRAP  
 D PANTS FRONT - 1,2  
 E PANTS BACK - 1,2  
 F POCKET  
 G PANTS WAISTBAND  
 H SKIRT  
 K SKIRT WAISTBAND  
 L CUFF - 2

## General Directions

### The Pattern

- SYMBOLS**
- GRAIN LINE: Place on straight grain of fabric parallel to selvage
  - PLACE SOLID LINE on fold of fabric.
  - CENTER FRONT OR BACK of garment.
  - NOTCHES
  - DOTS
  - CUTTING LINE
  - LENGTHEN OR SHORTEN LINES
- SEAM ALLOWANCE: 5/8" (1.5cm) unless otherwise stated is included but not printed on MULTI-SIZE PATTERNS. Mark your size with colored felt tip pen. See chart on tissue for how to use MULTI-SIZE PATTERNS.

- ADJUST IF NEEDED**
- Make adjustments before placing pattern on fabric.
- TO LENGTHEN:** Cut pattern between lengthen or shorten lines. Spread pattern evenly, the amount needed and tape to paper.
- TO SHORTEN:** At lengthen or shorten lines, make an even pleat taking up amount needed. Tape in place.
- When lengthen or shorten lines are not given, make adjustments at lower edge of pattern.

### Cutting/Marking

- BEFORE CUTTING:**
- PRESS pattern pieces with a warm dry iron. PRE-SHRINK fabric by pre-washing washables or steam-pressing non-washables.
  - CIRCLE your cutting layout.
  - PIN pattern to fabric as shown in Cutting Layouts.
  - FOR DOUBLE THICKNESS: Fold fabric with RIGHT sides together.
  - FOR SINGLE THICKNESS: Place fabric RIGHT side up.
  - FOR PILE, SHADED OR ONE WAY DESIGN FABRICS: Use "with nap" layouts

- AFTER CUTTING:**
- Transfer markings to WRONG side of fabric before removing pattern. Use pin and chalk method or dressmaker's tracing paper and wheel.
- To Quick Mark:**
- Snip edge of fabric to mark notches, ends of fold lines and center lines.
  - Pin mark dots.


### Sewing

- SEW garment following **Sewing Directions**.
  - PIN or machine-baste seams matching notches.
  - STITCH 5/8" (1.5 cm) seams unless otherwise stated.
  - PRESS seams open unless otherwise indicated clipping when necessary so seams will lie flat.
  - TRIM seams to reduce bulk, as shown below.
- 

### SPECIAL CUTTING NOTES

- If layout shows a piece extending past fold, cut out all pieces except piece that extends. Open out fabric to single thickness. Cut extending piece on RIGHT side of fabric in position shown.
- Mark small arrows along both selvages indicating direction of nap or design. Fold fabric crosswise with RIGHT sides together, and cut along fold (a). Turn one fabric layer around so arrows on both layers go in the same direction. Place RIGHT sides together (b).


## Cutting Layouts



POSITION OF PATTERN PIECES MAY VARY SLIGHTLY ACCORDING TO YOUR PATTERN SIZE


### STYLE 1, 2 - PANTS POCKET LINING (OPT.)

USE PIECE F  
 45" (115CM) WITHOUT NAP  
 ALL SIZES




### STYLE 1 - PANTS, TOP AND SKIRT


USE PIECES A B C D E F G H K  
 45" (115CM) WITH NAP  
 SIZES 6 8 10 12 14




45" (115CM) WITH NAP  
 SIZES 16 18 20 22 24



60" (150CM) WITH NAP  
 SIZES 6 8 10 12 14 16 18



60" (150CM)  
WITH NAP  
SIZES 20 22 24




**STYLE 1 PANTS**


USE PIECES D E F G

45" (115CM)  
WITH NAP  
SIZES 6 8 10 12


CUT ONE OF PIECE G




45" (115CM)  
WITH NAP  
SIZES 14 16 18 20 22 24



60" (150CM)  
WITH NAP  
SIZES 6 8 10 12 14  
CUT ONE OF PIECE G





60" (150CM)  
WITH NAP  
SIZES 16 18 20 22 24





**STYLE 2 - TOP, SHORT PANTS AND SKIRT - LENGTHWISE STRIPED FABRIC**

USE PIECES A B C D E F G H K L



45" (115CM)  
WITH NAP  
SIZES 6 8 10 12 14 16 18 20



45" (115CM)  
WITH NAP  
SIZES 22 24



60" (150CM)  
WITH NAP  
ALL SIZES





# Congrats!

You've completed your sewing adventure

---

## SHARE YOUR LOOK



Post your pattern and tag us using [#simplicitypatterns](#)  
[@simplicity\\_creative\\_group](#)  
[@simplicitymccallsuk](#)  
[@simplicitymccallsaustralia](#)  
for a chance to be featured on our social media.

Look for more PDF patterns at [simplicity.com](#) or for customers outside the U.S. and Canada visit [sewdirect.com](#) and [sewdirect.com.au](#)

Have a question or need help with your sewing project contact us:  
[Simplicity.com](#)    [Sewdirect.com](#)    [Sewdirect.com.au](#)

**Simplicity**  
by design