

S9844

Simplicity[®] COSTUMES



easy-to-sew

Shop all the pattern brands you love @

Simplicity[®].com

Easy

BABIES' COSTUMES

Suggested Fabrics: Fleece. **A Contrast 2:** Cottons, Lame. **A Contrast 3, D Contrast 2, D Contrast 4, Fangs A, Stem and Leaves C, Face Appliqué C:** Felt. **D Contrast 3:** Tulle.

Notions: **A,B,C,D:** ¼ yd. (0.2m) of ½" (1.3cm) snap tape, ½ yd. (0.5m) of ¼" (6mm) elastic, paper-backed fusible web. **Also for A:** 7½ yds. (7.2m) of medium rick rack, 4 yds. (3.6m) of baby rick rack. **C:** Fabric glue, 4 yds. (3.7m) of medium rick rack each in two different colors. **D:** 4½ yds. (3.8m) of medium rick rack.

Sizes	XS	S	M	L	Yds. m
Bat Costume A	60** 1½	1½ 1.0	1½ 1.0	1½ 1.1	Yds. m

Contrast 1 (Blankie Front, Inner Ears) 60** - ¾ yd. (150cm - 0.8m)

Contrast 2 (Bow Tie) 45** - ¼ yd. (115cm - 0.2m)

Contrast 3 (Blankie Wings): 72" - ½ yd. (83cm - 0.5cm)

Fangs: 3" x 4" (7cm x 10cm) felt remnant

Paper-backed fusible web: 15" x 22" (38cm x 56cm) remnant

Dino Costume B	60** 1½	1½ 1.0	1½ 1.0	1½ 1.1	Yds. m
-----------------------	---------	--------	--------	--------	-----------

Contrast (Blankie Back, Belly, Spikes): 60** - 1 yd. (150cm - 0.9m).

Pumpkin Costume C	60** 1½	1½ 1.0	1½ 1.0	1½ 1.1	Yds. m
--------------------------	---------	--------	--------	--------	-----------

Contrast (Blankie Back): 60** - ¾ yd. (150cm - 0.8m)

Stem and Leaves: Two 9" x 12" (23cm x 30cm) felt sheets

Face Appliqué: One 9" x 12" (23cm x 30cm) felt sheet

Paper-backed fusible web: 7" x 9" (18cm x 23m) remnant

Bee Costume D	60** 2½	150cm - 2.6m).			
----------------------	---------	----------------	--	--	--



Contrast 1 (Hat Band, Hat Antennae) 60** - ¼ yd. (150cm - 0.2m)

Contrast 2 (Stripes): 72" - ½ yd. (183cm - 0.5m)

Contrast 3 (Wings): 54" - 1 yd. (140cm - 0.9m)

Contrast 4 (Blankie Flower Center): 72" - ¾ yd. (183cm - 0.6m)

Paper-backed fusible web: 17" (43cm) square remnant




D


*with nap **without nap

Simplicity® S9844

Thank you for purchasing this Simplicity pattern.
We made every effort to provide you with a high quality product.




27 PIECES



- 1 Front and Back-A,B,C
- 2 Elastic Guide for Leg-A,B,C,D
- 3 Bow-A
- 4 Knot-A
- 5 Hat Crown-A,B,C,D
- 6 Ear-A
- 7 Band-A,B,C
- 8 Fangs-A
- 9 Blankie-A,B
- 10 Wing Applique-A
- 11 Belly-B
- 12 Tail-B
- 13 Tail and Hat Spikes-B
- 14 Blankie Side Spikes-B
- 15 Blankie Lower Spikes-B
- 16 Face Applique-C
- 17 Leaves and Stem-C
- 18 Blankie-C
- 19 Front and Back-D
- 20 Block for Stripes-D
- 21 Wings-D
- 22 Front Band-D
- 23 Back Band-D
- 24 Antennae-D
- 25 Blankie-D
- 26 Flower-D
- 27 Flower Center-D

Cutting Layouts



POSITION OF PATTERN PIECES MAY VARY SLIGHTLY ACCORDING TO YOUR PATTERN SIZE

General Directions For Cutting

PRE-SHRINK and iron all fabric.

FOR DOUBLE THICKNESS -Fold fabric with **RIGHT** sides together. Pin pattern to **WRONG** side of fabric.

FOR SINGLE THICKNESS -Pin pattern to **RIGHT** side of fabric.


★ If layout shows a piece extending past fold, cut out all pieces except piece that extends. Open out fabric to single thickness. Cut extending piece on **RIGHT** side of fabric in position shown.

✳ Mark small arrows along both selvages indicating direction of nap or design. Fold fabric crosswise with **RIGHT** sides together, and cut along fold. Turn one fabric layer around so arrows on both layers go in the same direction. Place **RIGHT** sides together.

BAT COSTUME A

USE PIECES 1 5 6 7 9


60" (150CM)
WITH NAP
ALL SIZES



CONTRAST 1 A BLANKIE FRONT, INNER EARS

USE PIECES 6 9

60" (150CM)
WITH NAP
ALL SIZES



CONTRAST 2 A BOW TIE

USE PIECES 3 4


45" (115CM)
WITH NAP
ALL SIZES



CONTRAST 3 A BLANKIE WINGS

USE PIECE 10

72" (183CM)
WITH NAP
ALL SIZES




FANGS A-

CUT ONE OF PIECE 8 FROM FELT REMNANT

PAPER BACKED FUSING WEB A

USE PIECE 10


22" (56CM)
WITH NAP
ALL SIZES



DINO COSTUME B

USE PIECES 1 5 7 9 12


60" (150CM)
WITH NAP
ALL SIZES



CONTRAST B BLANKIE BACK, BELLY, SPIKES

USE PIECES 9 11 13 14 15


60" (150CM)
WITH NAP
ALL SIZES



PUMPKIN COSTUME C

USE PIECES 1 5 7 18


60" (150CM)
WITH NAP
ALL SIZES



CONTRAST C BLANKIE BACK

USE PIECE 18

60" (150CM)
WITH NAP
ALL SIZES



STEM AND LEAVES C-

CUT ONE OF PIECE 17 FROM FELT REMNANT


FACE APPLIQUE C-

CUT ONE EACH OF PIECE 16 FROM FELT REMNANT AND PAPER BACKED FUSIBLE WEB

BEE COSTUME D

USE PIECES 5 19 25 26

60" (150CM)
WITH NAP
ALL SIZES




S9844

2 of 6

CONTRAST 1 D HAT BAND, HAT ANTENNAE

USE PIECES 22 23

60" (150CM)
WITH NAP
ALL SIZES



CONTRAST 2 D STRIPES

USE PIECES 20 24


72" (183CM)
WITH NAP
ALL SIZES



CONTRAST 3 C WINGS

USE PIECE 21


54" (138CM)
WITH NAP
ALL SIZES



CONTRAST 4 D BLANKIE FLOWER CENTERS

USE PIECE 27


72" (183CM)
WITH NAP
ALL SIZES



PAPER BACKED FUSING WEB D

USE PIECE 27

17" (43CM)
WITH NAP
ALL SIZES



SEWING TUTORIALS




Build your skills viewing short, easy-to-follow videos at simplicity.com/sewingtutorials



SLIPSTITCH

Sewing Directions



Sewing methods in **BOLD TYPE** have Sewing Tutorial Video available.

SLIPSTITCH - Slide needle through a folded edge, then pick up a thread of underneath fabric.


PATTERN PIECES WILL BE IDENTIFIED BY NUMBERS THE FIRST TIME THEY ARE USED.

STITCH SEAMS WITH RIGHT SIDES TOGETHER UNLESS OTHERWISE STATED.


BAT COSTUME A

BUBBLE SUIT

1. Pin Front and back (1) sections, right sides together. Stitch sides in a 1/4" (6mm) seam.
2. Press under a 1/4" (6mm) hem on neck and armhole edges. Stitch hem in place close to raw edge, easing where necessary. **NOTE:** When applying snap tape, be sure to line up socket and ball strips so they will match when snapped.
3. Pin ball section of snap tape to right side of front shoulders, having one edge along foldline, turning in ends. Using a zipper foot, stitch tape in place, as shown.
4. Turn snap tape to inside along foldline. Stitch tape in place, close to remaining edge.
5. Pin socket section of snap tape to wrong side of back shoulders, having one edge along foldline, turning in ends. Stitch, as shown.
6. Turn snap tape to outside along foldline. Stitch tape in place, close to remaining edge.
7. **SLIPSTITCH** ends of tape in place.




LEG FINISHING



8. Press leg edges to inside along foldline for casing. Stitch 3/8" (1cm) from lower edge of casing.
9. Cut two pieces of elastic, each using Elastic guide for leg (2) pattern piece. Insert elastic through casing, having ends extending 1/4" (6mm) over foldline. Stitch across ends of casing along foldline. **NOTE:** When applying snap tape, be sure to line up socket and ball strips so they will match when snapped. **NOTE:** Cut snap tape so that snaps are evenly spaced from ends and tape is 1/2" (1.3cm) longer than inside leg edges.
10. Pin ball section of snap tape to right side of front inner leg, having one long edge along foldline, turning in ends. Using a zipper foot, stitch tape in place, as shown.
11. Turn snap tape to inside along foldline. Stitch close to remaining long edge.
12. Pin socket section of snap tape to wrong side of back inner leg, having one long edge along foldline, turning in ends. Stitch, as shown.
13. Turn snap tape to outside along stitching. Stitch tape in place, close to remaining long edge.
14. **SLIPSTITCH** ends of tape in place.
15. Fold Bow (3) in half lengthwise, right sides together, matching notches. Stitch in a 1/4" (6mm) seam, leaving an opening for turning.
16. Turn right side out; press. **SLIPSTITCH** opening.
17. Fold Knot (4) in half lengthwise, right sides together, matching notches. Stitch notched edge in a 1/4" (6mm) seam.
18. Turn knot right side out, bringing seam to center on **UNDERSIDE**; press.
19. Crush bow at center and place knot around center of bow, turning under and lapping one end on **UNDERSIDE**. Slipstitch ends securely catching in **UNDERSIDE** of bow.
20. Sew bow to front neck, centering over dot.

BOW TIE




HAT

21. For front, pin two Hat crown (5) sections, right sides together, matching notches. Stitch notched edge in a 1/4" (6mm) seam. (Save remaining hat crown sections for back.)
22. For each ear, pin fabric ear to contrast ear, matching dots. Stitch curved edges in 1/4" (6mm) seam. Trim corners.
23. Turn right side out. Baste raw edges together.
24. To make pleats, on outside, fold along solid lines, bring to broken line, in direction of arrows. Baste across raw edge.
25. On outside, pin ears, contrast side down, to sides of hat crown front, matching dots, having raw edges even. Baste, clipping ears if necessary.
26. For back, stitch remaining hat crown sections, matching notches.
27. With right sides together, pin crown sections, matching side seams. Stitch in 1/4" (6mm) seam.
28. Turn right side out, turning ears out.
29. With right sides together, pin Band (7) sections, matching notches. Stitch notched ends in a 1/4" (6mm) seam.
30. Turn right side out.
31. Fold band in half, lengthwise, matching centers and seams, having raw edges even; baste.
32. Pin Fangs (8) to one band section, right sides together, matching dots, having raw edges even. Baste. (This is front.)
33. Pin band to lower edge of crown, matching centers and side seams. Stitch in a 1/4" (6mm) seam.
34. Turn band seams toward crown, turning band and fangs down.

BLANKIE

35. Apply paper backed fusible web to wrong side of Wing applique (10) fabric, following manufacturer's directions.
36. Cut applique tissue block along outer solid lines.
37. Pin pattern to RIGHT side of prepared fabric. Cut out applique. Transfer markings to RIGHT side of applique using a washable fabric marking pen or pencil. (Do not remove paper backing until ready for application.)
38. Remove paper backing. Pin wing applique to fabric Blankie (9) along placement lines. Fuse applique in place, following manufacturer's directions.
39. On outside, pin baby rick rack trim to applique, centering along each placement line. Stitch along center of rick rack.
40. On outside, pin baby rick rack trim to outer edge of applique, having scalloped edge even with raw edge, turning under one end and lapping over remaining end. Stitch along center of rick rack.



41. On outside, pin medium rick rack trim to outer edges of blankie, centering along placement line, turning under one end and lapping over remaining end. Stitch along center of rick rack.
42. For reverse side, on outside, pin medium rick rack trim to outer edges of Contrast blankie, centering along placement line, turning under one end and lapping over remaining end. Stitch along center of rick rack.
43. Pin blankie sections, right sides together, matching centers, having raw edges even. Stitch in 1/2" (1.3cm) seam, leaving an opening for turning. Clip curves. Trim seams.
44. Turn blankie right side out. SLIPSTITCH opening.

DINO COSTUME B

BUBBLE SUIT

1. Pin wrong side of Belly (11) to right side of one Front and back (1) section, matching centers and dots. Stitch close to raw edges. (This is front.)
2. For back, pin remaining front and back section to front section, right sides together. Stitch sides in a 1/4" (6mm) seam.
3. Press up a 1/4" (6mm) hem on neck and armhole edges. Stitch hem in place close to raw edge, easing if necessary. **NOTE:** When applying snap tape, be sure to line up socket and ball strips so they will match when snapped.
4. Pin ball section of snap tape to right side of front shoulders, having one edge along foldline, turning in ends. Using a zipper foot, stitch tape in place, as shown.
5. Turn snap tape to inside along foldline. Stitch tape in place, close to remaining edge.
6. Pin socket section of snap tape to wrong side of back shoulders, having one edge along foldline, turning in ends. Stitch, as shown.
7. Turn snap tape to outside along foldline. Stitch tape in place, close to remaining edge.
8. SLIPSTITCH ends of tape in place.

LEG FINISHING














Prepare and stitch snap tape to lower edge of bubble suit in the same manner as for BAT COSTUME A: BUBBLE SUIT; LEG FINISHING.

TAIL

9. With right sides together, pin two Tail and hat spikes (13) sections, matching small dots. Stitch along stitching lines, pivoting at inner edges. Clip between stitchings to inner edges. (Save remaining tail and hat spikes section for hat.)
10. Turn spike sections, right side out, turning spikes out. Baste raw edges together.
11. STAYSTITCH lower edge of spike. Clip to staystitching.
12. On outside, pin spike to one Tail (12) section, matching small dots; baste.

S9844

4 of 6



13. Turn under 1/4" (6mm) on straight edge of each tail section.

14. Pin tail sections, right sides together. Stitch in a 1/4" (6mm) seam, leaving straight end free.

15. Turn tail and spike, right side out; press. Baste pressed edges together.

16. On outside, pin tail to back of costume, matching small and large dots. Hand-sew securely in place.

HAT

17. For front, pin two Hat crown (5) sections, right sides together, matching notches. Stitch notched edge in a 1/4" (6mm) seam. (Save remaining hat crown sections for back.)

18. With right sides together, pin two Tail and hat spikes (13) sections, matching small dots. Stitch along stitching lines, pivoting at inner edges. Clip between stitchings to inner edges.

19. Turn spike sections, right side out, turning spikes out. Baste raw edges together.

20. STAYSTITCH lower edge of spike. Clip to staystitching.

21. On outside, pin spike to sides of hat crown front, matching dots, having raw edges even. Baste, clipping ears if necessary. For back, stitch remaining hat crown sections in the same manner as for front.

22. With right sides together, pin crown sections, matching side seams. Stitch in a 1/4" (6mm) seam.

23. Turn right side out, turning spikes out.

24. With right sides together, pin Band (7) sections, matching notches. Stitch notched ends in a 1/4" (6mm) seam.

25. Turn right side out.

26. Fold band in half, lengthwise, matching centers and seams, having raw edges even; baste.

27. Pin band to lower edge of crown, matching centers and side seams. Stitch in a 1/4" (6mm) seam.










28. Turn band seams toward crown, turning band down.

BLANKIE

29. With right sides together, for each side edge, pin two Blankie side spikes (14) sections, matching dots. Stitch along stitching lines, pivoting at inner edges. Clip between stitchings to inner edges. Trim corners.

30. Turn spike sections, right side out, turning spikes out. Baste raw edges together.

31. STAYSTITCH lower edge of spike. Clip to staystitching.



32. On outside, pin one spike section to each side of fabric Blankie (9) section, matching small dots; baste. (This is front.) Prepare and stitch Blankie lower spikes (15) sections in the same manner as Blankie side spikes. On outside, pin spike sections to lower edge of front blankie, matching small dots; baste.

33. For reverse side, pin Contrast blankie to front section, right sides together, matching centers and dots. Stitch in a 1/2" (1.3cm) seam, leaving an opening for turning. Clip curves; trim seams.

34. Turn blankie right side out, turning spikes out. SLIPSTITCH opening.

PUMPKIN COSTUME C**BUBBLE SUIT**

1. Apply paper backed fusible web to wrong side of Face applique (16), following manufacturer's directions.

2. Cut applique tissue block along outer solid lines. Pin pattern to RIGHT side of prepared fabric. Cut out applique. (Do not remove paper backing until ready for application.)

3. Remove paper backing. Pin face applique to one Front and Back (1) section along placement lines. Fuse applique in place, following manufacturer's directions. (This is front.) Make bubble suit in the same manner as for BAT COSTUME A: BUBBLE SUIT: see steps 1 through 14, disregarding BOW TIE.








HAT

4. For front, pin two Hat crown (5) sections, right sides together, matching notches. Stitch notched edge in a 1/4" (6mm) seam. (Save remaining hat crown sections for back.)

5. For back, stitch remaining hat crown sections in the same manner as for front.

6. With right sides together, pin crown sections, matching side seams. Stitch notched edge in 1/4" (6mm) seam.

7. Turn right side out.



8. With right sides together, pin Band (7) sections, matching notches. Stitch notched ends in a 1/4" (6mm) seam.

9. Turn right side out.

10. Fold band in half, lengthwise, matching centers and seams, having raw edges even; baste.

11. Pin band to lower edge of crown, matching centers and side seams. Stitch in a 1/4" (6mm) seam.

12. Turn band seams toward crown, turning band down.

13. To form stem, roll one end of square section of Leaves and stem (17), overlapping end. Glue end in place.

14. Glue bottom of stem to top of hat at a slight angle, centering over back seam.


15. Stitch each leaf section along stitching lines.

16. Place two leaf sections to front of hat, overlapping curved edges around front of stem. Glue top of leaves to hat and stem. (Save remaining leaves for reverse blankie.)

BLANKIE

17. Pin one color of rick rack to right side of fabric Blankie (18) section, centering over each placement line. Stitch along center of rick rack. (This is front.)

18. For reverse side, apply second color of rick rack to Contrast blankie in the same manner as for front section. Pin contrast blankie to front section, right sides together, matching notches and centers. Stitch in a 1/2" (1.3cm) seam, leaving an opening for turning. Trim seams.





19. Turn blankie right side out. **SLIPSTITCH** opening.

20. For each leaf cluster, place two remaining leaf sections to each side of top of blankie front, overlapping curved edges. Glue tops of leaves to front.

BEE COSTUME D

BUBBLE SUIT

1. For stripes, cut apart Block for stripes (20) along cut lines. Use three stripes for front and three for back.





2. On outside, pin one stripe section to right side of one Front and back (19) section, having lower edge of stripe along placement line, centering stripe. Stitch close to long edges. Cut ends evenly with raw edges. (This is front.)



3. Apply and stitch a second stripe section to front, having lower edge 2" (5cm) above upper edge of previous stripe. Cut ends evenly with raw edges. Apply and stitch third stripe section to front, having upper edge 2" (5cm) below center stripe. Cut ends evenly with raw edges. Apply and stitch remaining stripe sections to back in the same manner as for front.

Make bubble suit in the same manner as for BAT COSTUME A: BUBBLE SUIT A, see steps 1 through 14, disregarding BOW TIE.










4. Pin Wing (21) sections, right sides up, matching center backs, having raw edges even. To gather, stitch along center back using a long machine-stitch. Gather again 1/4" (6mm) away each side of first stitching.

5. On outside, place wings to back of bubble suit, matching center backs, having upper and lower edges of wings at dots. Pull up gathering stitches to fit. Fasten ends securely. Stitch along gathering lines, keeping front free.

S9844

6 of 6




HAT

6. For front, pin two Hat crown (5) sections, right sides together, matching notches. Stitch notched edge in a 1/4" (6mm) seam. (Save remaining hat crown sections for back.)
7. With right sides together, fold each Antennae (24) in half, lengthwise. Stitch in a 1/4" (6mm) seam, leaving one short end open.
8. Turn right side out.
9. On outside, pin antennae to hat at upper edge, as shown, having raw edges even. Baste.
10. For back, stitch remaining hat crown sections, matching notches.
11. With right sides together, pin crown sections, matching seams. Stitch in 1/4" (6mm) seam.
12. Turn right side out, turning antennae out.
13. With right sides together, pin one Front band (22) section to one Back band (23) section, matching notches. Stitch in a 1/4" (6mm) seam. Stitch remaining band sections in the same manner.
14. With right sides together, pin band sections together, matching centers and seams. Stitch lower edge in a 1/4" (6mm) seam. Clip curves.
15. Turn right side out. Baste raw edges together.
16. Pin band to lower edge of crown, matching centers and side seams. Stitch in a 1/4" (6mm) seam.
17. Turn band seams toward crown, turning band down.


BLANKIE

18. Apply paper backed fusible web to wrong side of each Flower center (27), following manufacturer's directions.
19. Remove paper backing. Pin one flower center section to one Flower (26) section along placement line. Fuse flower center in place, following manufacturer's directions.


20




21



22



23



20. On outside, pin rick rack trim to flower center, centering along outer edge, turning under ends. Stitch along center of rick rack.

21. With right sides up, pin flower to one Blankie (25) section along placement line, matching centers. On outside, pin rick rack trim to flower, just along outer edge, turning under ends. Stitch along center of rick rack. For reverse side, prepare and stitch remaining sections in the same manner as for front.

22. Pin blankie sections, right sides together, matching centers. Stitch in a 1/2" (1.3cm) seam, pivoting at inner corners, leaving an opening for turning. Clip curves. Trim seams.

23. Turn blankie right side out. SLIPSTITCH opening.



Congrats!

You've completed your sewing adventure

**SHARE
YOUR** LOOK



Post your pattern and tag us
@simplicity_creative_group and **#simplicitypatterns**
for a chance to be featured on our social media.

Look for more PDF patterns at **simplicity.com**

Have a question or need help with your sewing project call us at
1-888-588-2700



Simplicity ©2023 a division of IG Design Group Americas Inc. • Atlanta, GA 30342 USA www.thedesigngroup.com • All Rights Reserved. www.simplicity.com • Made in the U.S.A. Fabriqué aux États-Unis.

To be used for individual private home use only and not for commercial or manufacturing purposes. • A usage privé seulement et non à des fins commerciales ou de production en série. • Para uso privado solamente, no se puede utilizar con propósitos de comercialización o de producción en serie.